


टिकापुर नगरपालिका
नगरकार्यपालिकाको कार्यालय
टिकापुर ,कैलाली
सुदूरपश्चिम प्रदेश



टिकापुर नगरपालिकाको आ.व. २०८० /०८१ का लागि
स्विकृत नगर दररेट

टिकापुर नगरपालिकाको आ.व. २०८०/०८१ का लागि स्विकृत नगर दररेट
(मिति २०८०/४/१५ गते को कार्यपालिका बैठक बाट स्वीकृत)

क्र. सं.	विवरण	ईकाई	आ. ब. ७८/७९ को दररेट	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट
ज्याला					
१	अदक्ष (ज्यामी)	श्रमदिन	६१०	६७५	६८०
२	दक्ष (मिस्त्री)	"	८९०	९५०	९५५
३	चौकिदार	"	६१०	६७५	६८०
४	क्याम्प वर्कर	"	६१०	६७५	६८०
५	चैनमेन	"	६१०	६७५	६८०
६	बिजुलीको लाइनमा (तार तान्ने) काम गर्ने ज्यामी	"			७३०
७	बिजुलीको मिटर रिडर (तालिम प्राप्त)	"			७३०
८	प्लम्बर	"	७३०	९५०	९५५
९	प्लम्बिङ हेल्पर	"	६१०	६७५	६८०
१०	हेल्पर (खलासी)	"	६१०	६७५	६८०
११	सुपरभाईजर (साधारण)	"	६१०	६७५	६८०
१२	सिनियर सुपरभाईजर (तालिम प्राप्त)	"	६५०	७००	७०५
१३	सडक सुपरभाईजर	"	६१०	६७५	६८०
१४	लेन्थ वर्कर दैनिक ज्यालादारीमा	"	६१०	६७५	६८०
१५	लेन्थ वर्कर (रोड बोर्ड तर्फ करारमा)	"	६१०	६७५	६८०
१६	सडक सुपरभाईजर (रोड बोर्ड तर्फ करारमा)	"	६१०	६७५	६८०
१७	सिचाइ ढाल्या	"	६१०	६७५	६८०
१८	सिचाइ गेट अपरेटर	"	६१०	६७५	६८०
१९	डाईभर	"	२६ नेपाल सरकारको को शुरु तलब मानलाई प्रतिदिनको आउने रकमलाई ज्याला कायम गर्ने ।	२६ नेपाल सरकारको को शुरु तलब मानलाई प्रतिदिनको आउने रकमलाई ज्याला कायम गर्ने ।	२६ नेपाल सरकारको को शुरु तलब मानलाई प्रतिदिनको आउने रकमलाई ज्याला कायम गर्ने ।
२०	अमिन	"			
२१	कम्प्युटर अपरेटर	"			
२२	ईन्जिनियर	"			
२३	सब-ईन्जिनियर	"			
२४	ल्याब टेक्निसियन (ना.सु. वा खरिदार सरह)	"			
२५	इक्विपमेन्ट अपरेटर				
२५.१	हेवि	श्रमदिन	८५५	८९०	८९५
२५.२	लाइट	"			
२६	नाला तथा सेफ्टी टंकी सफा गर्ने कार्य	"			

३०	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine				
३०.०१	Excavation in Ordinary soil	cum	७२	७२	७३
३०.०२	Excavation in Hard soil	cum	९७	९७	९८
३०.०३	Excavation in Ordinary Rock	cum	२९५	२९५	२९८
३०.०४	Excavation in Medium Rock	cum	४६०	४६०	४६५
३०.०५	Excavation in Hard Rock	cum	१७३०	१७३०	१७३५
३०.०६	Landslide clearance	cum	७२	७२	७३
३०.०७	Landslide clearance (rocks to be broken)	cum	१०२	१०२	१०४
३१	मानिस द्वारा ढुवानी गर्ने				
३१.०१	सजिलो भारी पहाडको लागी	रु/केजी/किमी	१.६६	१.६९	१.७२
३१.०२	असजिलो भारी ”	”	१.७९	१.८३	१.८६
३१.०३	सजिलो भारी तराईको लागी	”	१.२७	१.२७	१.२९
३१.०४	असजिलो भारी ”	”	१.४	१.४	१.४२
३१.०५	भोलुंगे पुलका लट्ठा बोक्ने	”	२.८७	२.८७	२.९२
३१.०६	एच.डि.पि./जि.आई पाईप बोक्ने	”	२.८७	२.८७	२.९२
३१.०७	विरुवा ढुवानी पहाडमा	”	२.७४	२.७४	२.७९
३१.०८	विरुवा ढुवानी तराइमा	”	२.१६	२.१६	२.२०
३२	गाडा, रिक्सा र ठेलाव्दारा ढुवानी गर्ने कार्य				
३२.०१	पिच रोडमा	”	०.३९	०.४१	०.४२
३२.०२	ग्रावेल सडकमा	”	०.४६	०.४८	०.४९
३२.०३	कच्ची (माटो) सडकमा	”	०.४३	०.४५	०.५०
३३	लोड । अनलोड गर्ने काम				
३३.०१	फलामे सामान	क्वीन्टल	४६.५९	४८.००	४०.८०
३३.०२	सिमेन्ट (५० केजी.)	ब्याग	१८.६३	१९.१९	१६.३१
३३.०३	अन्य सामान (खाद्य सामग्री समेत)	क्वीन्टल	१३.३१	१३.७१	११.६५
३४	ट्रक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार		
३५	वन संबन्धि कामको लागि				
३५.०१	मार्किंग	प्रति रुख	२३.२४	२३.२४	२३.७
३५.०२	कटान मुख्यान	घन फूट	३३.४५	३३.४५	३४.१
३५.०३	बोक्रा भिक्ने	”	५.६७	५.६७	५.७६
३५.०४	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	३१५	३१५	३२०

३५.०५	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	४२०	४२०	४२५
३५.०६	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा	५२५	५२५	५३०
३५.०७	जरा दुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१०५	१०५	१०७
३५.०८	जरा दुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	१५७	१५७	१६०
३५.०९	जरा दुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	२१०	२१०	२१३
३६	यार्डिंग				
३६.०१	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	१०४	१०४	१०६
३६.०२	ख) तराईमा गोलिया	"	१४.७	१४.७	१४.९९
३६.०३	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	४०८०	४०८०	४१००
३६.०४	घ) तराई क्षेत्रमा दाउरा	चट्टा	६८०	६८०	६९०
३७	पाईलिंग	"	१६.५	१६.५	१६.८
३८	लोडिंग (गोलिया)	"	२२	२२	२२.४०
३९	अनलोडिंग	"	१३.५	१३.५	१३.७६
४०	दुवानी (वन जंगल क्षेत्रमा) गोलिया				
४०.०१	० देखि ३ कि.मि. सम्म	घन फुट	३५.००	३६.००	३६.७१
४०.०२	४ देखि ७ कि.मि. सम्म	"	३९.००	४०.००	४०.७०
४०.०३	८ देखि १२ कि.मि. सम्म	"	४०.००	४१.००	४१.८०
४०.०४	१३ देखि १६ कि.मि. सम्म	"	४३.००	४४.००	४४.८०
४०.०५	१७ देखि २० "	"	४८.००	४९.००	४९.९०
४०.०६	२१ देखि २४ "	"	४८.००	४९.००	४९.९०
४०.०७	२५ देखि ३० "	"	५५.००	५६.००	५७.१०
४०.०८	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	१.९९	२.००	२.०४
४१	दुवानी गोलिया काठ र चिरानी काठ दुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)				
४१.०१	० देखि ५ कि.मि. सम्म	घन फुट	१९.००	१९.५७	१९.९६
४१.०२	६ देखि १० कि.मि. सम्म	"	२२.००	२३.००	२३.४६
४१.०३	११ देखि १५ कि.मि. सम्म	"	२४.००	२५.००	२५.५०
४१.०४	१६ देखि २० कि.मि. सम्म	"	३१.००	३२.००	३२.६४
४१.०५	२१ देखि २५ कि.मि. सम्म	"	३३.००	३४.००	३४.६८
४१.०६	२६ देखि ३० कि.मि. सम्म	"	३४.००	३५.००	३५.७०
४१.०७	३१ देखि ४० कि.मि. सम्म	"	३५.००	३६.००	३६.७२
४१.०८	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	१.९०	१.९९	२.०२

४२	चिरान पाईलिङ्ग	घ.मी.	१५.८०	१६.५०	१६.८३
४३	चिरान लोडिङ	"	१४.५०	१५.२२	१५.५२
४४	चिरान अनलोडिङ	"	१०.५०	११.०१	११.२३
४५	दाउरा कटानी संबन्धि				
४५.१	कटान मुछान (२० X ५ X ५) फिट	चट्टा	५२००.००	५४५०.००	५४५०.००
४५.२	लोड अनलोड	"	२८८०.००	२८८०.००	२९३७.००
४५.३	चट्टा निर्माण	"	१९६५.००	१९६५.००	२००४.००
४५.४	ढुवानी २५ कि.मि. सम्म	"	५३६८.००	५५८२.००	५५८२.००
४५.५	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	२६१.००	२७१.००	२७१.००
४६	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	६.२०	६.३८	६.३८
४७	चिरान उत्पादन गर्ने कार्य	घ.फी.	७१.००	७३.००	७३.००
४८	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्युन्टल	२८.००	२९.००	२९.००
४९	अन्य साइज तथा सह उत्पादन कार्य	प्रति क्युन्टल	९१.००	९४.००	९४.००
५०	वाकल लोड गर्ने कार्य	प्रति क्युन्टल	४५.००	४६.००	४६.००
५१	वाकल अन लोड गर्ने कार्य	प्रति क्युन्टल	१५.५०	१५.५०	१५.८०
५२	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	१५.५०	१५.५०	१५.८०
५३	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	२२१.००	२२१.००	२२५.००
५४	दाउरा काठमाण्डौ सिपमेण्ट	क्विटल	७१३.००	७१३.००	७२०.००
५५	भाडाको सःमिलवाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	१०७.००	१०७.००	१०८.००
५६	घाटगढी स्थानवाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	३६.००	३६.००	३६.७२
५७	घाटगढी स्थानवाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	८.००	८.००	८.१६
५८	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया भिकाउने	घ.फी.	१३.००	१३.००	१३.२६
५९	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछानसहित पहाडी बेलान	घ.फी.	२८०.००	२८०.००	२८४.००
६०	छपान गरेको रुखको फोटो खिचेको	गोटा	१०.४०	१०.४०	१०.६०
६१	घाटगढीबाट दाउरा ढुवानी गर्दा लोड अनलोड	चट्टा	७२८०.००	७२८०.००	७३००.००

६२	जलवायु कार्यको लागी				
६२.१	गेज रिडर	श्रम दिन	४२१.००	४४२.००	४५०.००
६२.२	अब्जरभर	„	२३५.००	२४६.००	२५०.००
६३	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	५०५४.००	५३०६.००	५४००.००
६४	सर्भे ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	„	३३६९.००	३५३७.००	३६००.००
६५	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लिनथ एरिया दर (मुआब्जा प्रयोजनको लागी)				
६६	फेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा				
६६.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२२८८.००	२३८०.००	२४७५.००
६६.०२	अन्य फ्लोर	वर्ग फिट	१८३०.००	१९००.००	१९७५.००
६७	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
६७.०१	ग्राउन्ड फ्लोर	वर्ग फिट	२२८८.००	२४००.००	२४९५.००
६७.०२	अन्य फ्लोर	वर्ग फिट	१५२१.००	१५६०.००	१६२०.००
६८	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
६८.०१	ग्राउन्ड फ्लोर	वर्ग फिट	१३७२.००	१४४०.००	१४९५.००
६८.०२	अन्य फ्लोर	वर्ग फिट	१०६३.००	११००.००	११४०.००
६९	लोड वियरिङ्ग भवन टाईलको छाप्ना भएको	वर्ग फिट	१०६३.००	१११६.००	११६०.००
	शिलालेख लेख्ने कार्य				
७०	मार्बलमा				
७०.०१	अक्षर माथी उठेको	वर्ग फिट	३०३१.००	३०३१.००	३०९०.००
७०.०२	अक्षर तल दवेको	वर्ग फिट	२४२५.००	२४२५.००	२४७२.००
७१	पित्तलमा				
७१.०१	अक्षर माथी उठेको	वर्ग फिट	४२४४.००	४२४४.००	४३२०.००
७१.०२	अक्षर तल दवेको	वर्ग फिट	३६३७.००	३६३७.००	३७००.००
७२	तमामा				
७२.०१	अक्षर माथी उठेको	वर्ग फिट	४८५०.००	४८५०.००	४९४०.००
७२.०२	अक्षर तल दवेको	वर्ग फिट	४२४४.००	४२४४.००	४३२०.००

निर्माण सामाग्री

क्र.सं.	विवरण	ईकाई	आ. ब. ७८/७९ को दररेट	आ. ब. ७९/८० को दररेट	आ. ब. ८०/८१ को दररेट
१	ईटा नेपाल स्टान्डार्डको				
१.१	अव्वल (एक नम्बर) – चिम्ली भट्टाको	१०००	१३२००	१४०००	१३५००

१.२	दुई नम्बर (लालपेटी) – चिमनी भट्टाको	१०००	१००००	१०५००	१०२००
१.३	ओवर बर्न्ड / अण्डर बर्न्ड – चिमनी भट्टाको	१०००	९०००	९०००	९०००
१.४	टुक्रा	ट्राली	७०००	७०००	७०००
१.५	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	११७००	११७००	११७००
२	सिमेन्टको ईटा				
२.१	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा	३९	४०	४०
३	बालुवा , ढुंगा र माटो				
३.१	बालुवा	घ.मि.	नर्मस् अनुसार		
३.२	धोएको बालुवा	घ.मि.	७१०	७५०	७५०
३.३	फेक्ट्रीमा धोएको बालुवा ढुवानी सहित	घ.मि.	१४२५	१४२५	१४२५
३.४	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
३.५	कुदेको ”	घ.मि.			
३.६	बण्ड ”	घ.मि.			
३.७	ग्रावेल	घ.मि.			
३.८	माटो /भरान बालुवा खरिद तथा पटानी ढुवानी सहित टि न.पा. भित्र	घ.मि.	४५०	४५०	४५०
४	गिट्टी क्रसरको				
४.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	१२५०	१३५०	१३५०
४.२	२० मि.मि. ”	घ.मि.	१८००	१८९०	१८९०
४.३	१० मि.मि. ”	घ.मि.	१३००	१४००	१४००
४.४	६ मि.मि. ”	घ.मि.	१५००	१६००	१६००
४.५	ढुङ्गाको धूलो ”	घ.मि.	६५०	६८२	६८२
५	खोलाको छानेको गोलो गिट्टी				
५.१	४० मि.मि. ढुवानी वाहेक	घ.मि.	नर्मस् अनुसार		
५.२	२० मि.मि. ”	घ.मि.			
५.३	१० मि.मि. ”	घ.मि.			
५.४	४ मि.मि. देखि १० मि.मि सम्म	घ.मि.			
६	सिमेन्ट				
६.१	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	७५०	७५०	६००
६.२	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	८५०	८५०	७००
६.३	सेतो सिमेन्ट	के.जी.	३५.०	३३.०	३३.०
७	काठ				
७.१	साल	घ.मी.	२११०००	२१८३८५	२१८३८५
७.२	सिसम	घ.मी.	१४६८००	१५१९३८	१५१९३८
७.३	सल्लो	घ.मी.	५२२००	५४०२७	५४०२७
७.४	कुकाठ	घ.मी.	३५८००	३७०५३	३७०५३

द	बांस (७ मी लम्बाइ)				
द.१	टिकापुर नपा. क्षेत्रमा (मोटो)	गोटा	३९०	३४०	३४०
द.२	टिकापुर नपा. क्षेत्रमा (मसिनो)	गोटा	३४०	३४०	३४०
९	ग्रेनाइट/मार्बल				
९.०१	१६ मि.मि. बाक्लो ग्रेनाइट राम्रो- Colourful	व.मी.	३८००	४०००	४२००
९.०२	ग्रेनाइट सादा	व.मी.	३०००	३१५०	३२००
९.०३	१६ मि.मि. बाक्लो मार्बल	व.मी.	२९२०	३०८०	३०००
९.०४	१३ मि.मि. बाक्लो मार्बल	व.मी.	१६००	१६८८	१७७२
९.०५	मार्बल चिप्स (३ मि.मी.को)	के.जी.	२०	२०	२०
९.०६	मार्बल चिप्स (५ मि.मी.को)	के.जी.	२१	२१	२१
९.०७	अक्जालीक एसिड पाउडर	के.जी.	१७०	१७१	१७१
९.०८	मैन पोलिस	के.जी.	६२०	६२६	६२६
९.०९	कार्वरेन्डम ढुंगा (२ x २ x ४ ईन्ची)	गोटा	६४५	६५१	६५१
१०	टाईल (Procelain Glazed & Non-skid Tiles)				
१०.०१	12"*18" Wall Tile	ब.फि.	१००	१०५	१०५
१०.०२	12"*18" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.		१२०	११६
१०.०३	12"*24" Wall Tile	ब.फि.	१२५	१३०	१३०
१०.०४	12"*24" Wall Tile Kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.		१६५	१६०
१०.०५	16"*32" Wall Tile	ब.फि.	१३५	१४०	१४०
१०.०६	16"*32" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.	१३५	१८५	१८५
१०.०७	12"*12" Floor Tile	ब.फि.	१००	१०५	१०५
१०.०८	12"*12" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.		१२०	११६
१०.०९	16"*16" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.			१२०
१०.१	24"*24" Verified Tile-Plain Ivory	ब.फि.	११०	११३	११३
१०.११	24"*24" Verified Tile-Plain Ivory kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	ब.फि.		१३०	१३५
१०.१२	24"*24" Double Charged Verified Tile-Light Shade	ब.फि.	१२०	१५०	१४५

१०.१३	24"*24" Double Charged Verified Tile-Dark Shade	ब.फि.	१३०	१६०	१५५
१०.१४	16"*16" Parking Tile- 12mm thickness	ब.फि.	११५	११९	१२५
११	Bitumen/ Emulsion/Anti stripping additive				
११.१	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम ।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम ।
११.२	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.			
११.३	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	४००	४१०	४१०
११.४	Instant Road repair Premix (pot Holes) 25kg per bag	ब्याग		११५०	११५०
१२	फलामे डण्डी				
१२.१	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	९६	१०४	१००
१२.२	८ मिमि को टीएमटी	के.जी.	९३	१०७	१०३
१२.३	१० देखि २० मि.मि. सम्मका टीएमटी	के.जी.	९०	१०४	१००
१२.४	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	९३	१०७	१०३
१२.५	वाईण्डिंग तार	के.जी.	११४	१३०	१३०
१३	गिट्टी छान्ने तारजाली				
१३.१	२४ गेजको	व.मी.	१०००	१०१५	१०१५
१३.२	२६ गेजको	व.मी.	८००	८१२	८१२
१३.३	एक्सपेण्डेड मेटल वायर मेश	व.मी.	२६०	२६३	२६३
१३.४	चिकेन वायर मेश	व.मी.	३२०	३२४	३२४
१४	गेविन जी.आइ. तार र सडक सम्बन्धी				
१४.०१	७ र ८ गेजको हेर्भ	के.जी.	१३०	१३०	१३०
१४.०२	१० " "	के.जी.	१३०	१३०	१३०
१४.०३	१२ " "	के.जी.	१३२	१३२	१३२
१४.०४	७ र ८ गेजको मध्यम	के.जी.	१२५	१२५	१२५
१४.०५	१० " "	के.जी.	१२५	१२५	१२५
१४.०६	१२ " "	के.जी.	१२७	१२७	१२७
१४.०७	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	१२२	१२२	१२२
१४.०८	१० " "	के.जी.	१२२	१२२	१२२
१४.०९	१२ " "	के.जी.	१२४	१२४	१२४
१४.१०	विभिन्न साइजको मेसिनमेड जालीहरु	छुट्टै तालिकामा दिईअनुसार			
१४.११	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	१००	१००	१००

१४.१२	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	११३	११३	११३
१४.१३	जीओ-टेक्स्टाइल (२०० ग्राम)		१२५	१३०	१३०
१४.१४	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	४१५	४१५	४१५
१४.१५	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	४५०	४५०	४५०
१४.१६	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	५१६	५१६	५१६
१४.१७	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	५५०	५५०	५५०
१४.१८	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	५५२५	५५२५	५५२५
१४.१९	सौर्य उर्जा सडक स्ट्रड	थान	३८२५	४०००	४०००
१४.२०	साधारण क्याट्स आई	गोटा	५७५	६००	६००
१४.२१	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	२२०	२२५	२२५
१४.२२	Glass beads	कि.ग्रा.			२६०
१४.२३	सडकमा मार्किङ्ग गर्ने रङ्ग	लीटर	५१०	५२०	५२०
१४.२४	Double sank cat eye 25 ton capacity	Nos		११५०	११५०
१४.२५	Simple sank cat eye 25 ton capacity	Nos		७५०	७५०
१४.२६	Aluminium Solar strud 45 ton capacity	Nos		५०००	५०००
१५	काडेतार				
१५.१	८ गेजको	के.जी.			१३१
१५.२	१० गेजको	के.जी.			१३१
१५.३	१२ गेजको	के.जी.	१२५	१३०	१३२
१५.४	१४ गेजको	के.जी.	१२७	१३२	१३०
१६	किला काँटी विभिन्न साईज				
१६.१	साधारण किला	के.जी.	११९	१३०	१३०
१६.२	ल्वड किला	के.जी.	२१८	२२८	२२८
१६.३	नटबोल्ट ६० मि.मिको	के.जी.	२१८	२४०	२४०
१६.४	नटबोल्ट ८० मि.मिको	के.जी.	२२८	२५०	२५०
१६.५	जे हुक/यू हुक विभिन्न साइजको	के.जी.	१४०	१५५	१५५
१६.६	जस्ता पाताको किला	के.जी.	१६६	१७३	१७३
१६.७	५० मि.मि.को पेच किला	गोटा	३.७	४	४
१६.८	६० मि.मि. को पेच किला	गोटा	४.३	४.५	४.५
१७	बिटुमिन वासर	पेकेट	३७.४	३९	३९
१८	होल्ड फाष्ट	के.जी.	१५०	१६०	१६०

१९	कच्चा				
१९.१	कच्चा ६ इन्ची	गोटा	५२	५४	५५
१९.२	„ ४ „	गोटा	२८	२९	३०
१९.३	„ ३ „	गोटा	२२	२३	२४
२०	छेस्कीनी				
२०.१	६” स्टील	गोटा	८२	८५	८५
२०.२	४” स्टील	गोटा	७७	८०	८०
२०.३	६” पितलको	गोटा	२५८	२६९	२७०
२०.४	४” „	गोटा	२०६	२१५	२१५
२०.५	६” अलम्युनिम	गोटा	१०३	१०७	१०७
२०.६	४” „	गोटा	९३	९७	९७
२१	डोर लकिड सेट/अल्ड्रूफ (वेलन)				
२१.१	१०” स्टील	सेट	२२१	२२८	२२८
२१.२	१२” „	सेट	२७८	२८६	२८६
२१.३	१० ” पितलको	सेट	११४८	११८४	११८४
२१.४	१२ ” पितलको	सेट	१३१८	१३६०	१३६०
२१.५	१० ” अलम्युनियम	सेट	४४३	४५४	४५४
२१.६	१२ ” अलम्युनियम	सेट	५५६	५६९	५६९
२२	हेण्डील				
२२.१	६” स्टील	गोटा	५२	५३	५३
२२.२	४” „	गोटा	४१	४२	४२
२२.३	६” पितलको	गोटा	२५८	२६७	२६७
२२.४	४” „	गोटा	१६५	१७०	१७०
२२.५	६” अलम्युनिम	गोटा	६२	६४	६४
२२.६	४” „	गोटा	५७	५८	५८
२२.७	मोर्टिस ताला ढोकाको साधारण	गोटा	१०९०	११२८	११२८
२२.८	„ „ राम्रो पित्तल	गोटा	२२७५	२३५४	२३५४
२३	डोर स्पीड (जाली ढोकाको)				
२३.१	साधारण	गोटा	३७१	३७१	३७१
२३.२	मध्यम	गोटा	११३३	११३३	११३३
२३.३	राम्रो	गोटा	२०६०	२०६०	२०६०
२४	ग्लास				
२४.१	३.५ मिमी.	ब.फु.	७२	७६	७७
२४.२	४ मिमी.	ब.फु.	८२	८८	८९
२४.३	४ मिमी.(रगिन)	ब.फु.	९१	९६	९७
२४.४	५.० मिमी.	ब.फु.	१०३	१०९	१११
२४.५	५.० मिमी.(रगिन)	ब.फु.	१२४	१३१	१३३
२५	प्लाइउड				

२५.०१	३ मिमी. कमर्सियल	ब.फु.	३६	३६	३६
२५.०२	४ मिमी. कमर्सियल	ब.फु.	२७	२८	२८
२५.०३	६ मिमी. कमर्सियल	ब.फु.	३७	३८	३८
२५.०४	८ मिमी. कमर्सियल	ब.फु.	५७	५८	५८
२५.०५	१० मिमी. कमर्सियल	ब.फु.	६०	६१	६१
२५.०६	१२ मिमी. कमर्सियल	ब.फु.	८४	८५	८५
२५.०७	४ मिमी. वाटरप्रूफ	ब.फु.	५४	५५	५५
२५.०८	६ मिमी. वाटरप्रूफ	ब.फु.	६९	७०	७०
२५.०९	८ मिमी. वाटरप्रूफ	ब.फु.	६५	६६	६६
२५.१०	९ मिमी. वाटरप्रूफ	ब.फु.	९२	९४	९४
२५.११	१२ मिमी. वाटरप्रूफ	ब.फु.	११३	११५	११५
२५.१२	१९ मिमी. कमर्सियल भित्र काठ राखेको	ब.फु.	११३	११५	११५
२५.१३	१९ मिमी. कमर्सियल भित्र काठ नराखेको	ब.फु.	१२४	१२६	१२६
२५.१४	१९ मिमी. वाटरप्रूफ	ब.फु.	१५५	१५८	१५८
२५.१५	टिक प्लाइउड ४ मी.मी. (Natural texture)	ब.फु.	६४	६५	६५
२५.१६	टिक प्लाइउड ४ मी.मी. (Simple texture)	ब.फु.	६४	६५	६५
२५.१७	12mm thick 8'*4* Film Coated Ply 30kg/pics	ब.फु.	९६	१०२	१०२
२५.१८	18mm thick 8'*4* Film Coated Ply 39kg/pics	ब.फु.	१६०	१७०	१७०
२५.१९	32mm thick Paandoor Flush Door of Differnet Size	ब.फु.	२७५	३००	३००
२६	लेमिनेटेड पार्टिशन बोर्ड				
२६.१	४ मिमी.	ब.फु.	२१	२२	२२
२६.२	९ मिमी.	ब.फु.	७२	७५	७५
२६.३	१२ मिमी.	ब.फु.	२१६	२२०	२२०
२६.४	१८ मिमी.	ब.फु.	३२४	३३०	३३०
२६.५	२५ मिमी	ब.फु.	४६४	४७५	४७५
२७	सनमाईका तथा फरमाईका				
२७.१	सनमाईका (४'×८')	ब.फु.	१७	१७	१७
२७.२	फोरमाईका	ब.फु.	७५	७५	७५
२८	Gypsum Board				
२८.१	12.5mm thick Gypsum Board False ceiling including all necessary material - Simple	ब.फु.	८३	८३	८०
२८.२	12.5mm thick Gypsum Board False ceiling including all necessary material - Designed	ब.फु.	९१	९१	९०
२९	Fiber Cement Board				
२९.१	6mm thick (6'*4')	ब.फु.	३५	३५	३६
२९.२	8mm thick (8'*4')	ब.फु.	८४	८४	५०
२९.३	10mm thick (8'*4')	ब.फु.	५७	५७	५८
२९.४	12mm thick (8'*4')	ब.फु.			६६

૨૯.૫	16mm thick (8'*4')	વ.ફુ.	૭૦	૭૦	૭૬
૨૯.૬	20mm thick (8'*4')	વ.ફુ.	૯૦	૯૦	૯૨
૨૯.૭	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	વ.ફુ.	૧૩૨	૧૩૨	૧૩૫
૨૯.૮	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	વ.ફુ.	૧૬૮	૧૬૮	૧૮૦
૨૯.૯	Cement Board Flse Ceiling- 2'*2' Plain	વ.ફુ.	૮૪	૮૪	૬૫
૩૦	Sandwich EPS Panel				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
	Ivory color/white color flat partition and exterior wall				
૩૦.૦૧	Thickness 50mm	વ.ફુ.		૩૧૫	૩૩૦
૩૦.૦૨	75mm	વ.ફુ.		૩૬૦	૩૭૭
૩૦.૦૩	100mm	વ.ફુ.		૪૦૫	૪૨૫
૩૦.૦૪	125mm	વ.ફુ.		૪૫૩	૪૭૫
૩૦.૦૫	150mm	વ.ફુ.		૪૯૯	૫૨૩
૩૧	Blue and orange roof panel				
૩૧.૦૧	50mm	વ.ફુ.		૩૬૦	૩૭૮
૩૧.૦૨	75mm	વ.ફુ.		૪૦૬	૪૨૬
૩૧.૦૩	100mm	વ.ફુ.		૪૯૧	૫૧૫
૩૧.૦૪	125mm	વ.ફુ.		૪૯૯	૫૨૩
૩૧.૦૫	150mm	વ.ફુ.		૫૪૬	૫૭૩
૩૨	Sandwich EPE Panel				
૩૨.૦૧	40mm	વ.ફુ.		૨૪૫	૨૫૭
૩૨.૦૨	50mm	વ.ફુ.		૨૮૦	૨૯૪
૩૨.૦૩	60mm	વ.ફુ.		૩૧૫	૩૩૦
૩૨.૦૪	80mm	વ.ફુ.		૩૭૦	૩૮૮
૩૨.૦૫	100mm	વ.ફુ.		૪૩૦	૪૫૧
૩૩	Sandwich PUF Panel				
૩૩.૦૧	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside-Wall Panel with all accessories	વ.ફુ.	૨૫૫	૨૬૭	૨૮૦
૩૩.૦૨	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside-Wall Panel with all accessories	વ.ફુ.	૩૦૦	૩૧૫	૩૩૦

૩૩.૦૩	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside-Wall Panel with all accessories	વ.ફુ.	૩૬૫	૩૮૦	૩૯૯
૩૩.૦૪	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside-Wall Panel with all accessories	વ.ફુ.	૪૩૦	૪૫૦	૪૭૨
૩૩.૦૫	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	વ.ફુ.	૨૩૦	૨૪૦	૨૫૨
૩૩.૦૬	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	વ.ફુ.	૨૫૦	૨૬૦	૨૭૩
૩૩.૦૭	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	વ.ફુ.	૨૭૫	૨૮૦	૨૯૪
૩૩.૦૮	0.4mm thick Ridge Cap	ર.ફિ	૧૮૦	૧૮૯	૧૯૮
૩૩.૦૯	Gutter 0.30mm thick (Size-4")	ર.ફિ			૯૦
૩૩.૧	Gutter 0.35mm thick (Size-4")	ર.ફિ			૧૦૦
૩૩.૧૧	Gutter 0.40mm thick (Size-4")	ર.ફિ			૧૧૦
૩૩.૧૨	Gutter 0.50mm thick (Size-4")	ર.ફિ			૧૩૦
૩૩.૧૩	Polycarbonate Corrugated sheet 0.8mm thick	વ.ફુ.			૧૨૫
૩૩.૧૪	Polycarbonate Corrugated sheet 1.0mm thick	વ.ફુ.			૧૪૫
૩૩.૧૫	Polycarbonate Corrugated sheet 1.2mm thick	વ.ફુ.			૧૭૦
૩૩.૧૬	Polycarbonate Corrugated sheet 1.5mm thick	વ.ફુ.			૨૦૦
૩૩.૧૭	Polycarbonate Corrugated sheet 1.8mm thick	વ.ફુ.			૨૪૦
૩૩.૧૮	Polycarbonate Corrugated sheet 2.0mm thick	વ.ફુ.			૨૫૦
૩૩.૧૯	Polycarbonate Corrugated sheet 2.5mm thick	વ.ફુ.			૩૦૫

३३.२	Polycarbonate Plain sheet 1.0mm thick	व.फु.			१३५
३३.२१	Polycarbonate Plain sheet 1.5mm thick	व.फु.			१७५
३३.२२	Polycarbonate Plain sheet 2.0mm thick	व.फु.			२४०
३३.२३	Polycarbonate Plain sheet 2.5mm thick	व.फु.			२९५
३४	जस्ता पाता (सिजिआई सीट)				
३४.१	0.35 mm (26 guage light)	वण्डल	८२४०	८४४६	८४४६
३४.२	0.37 mm (26 guage Medium)	वण्डल	९१६५	९५००	९५००
३४.३	0.41 mm (26 guage Heavy)	वण्डल	१००९०	१०९९०	१०९९०
३४.४	0.45 mm (24 guage light)	वण्डल	१०१९०	११२००	११२००
३४.५	0.50 mm (24 guage Medium)	वण्डल	१०८१५	११७००	११७००
३४.६	0.52 mm (24 guage Heavy)	वण्डल	१२३६०	१३४००	१३४००
३५	जि आई प्लेन सीट				
३५.१	३×६ फीट २६ गेजको मिडियम	गोटा	७१०	७४०	७४०
३५.२	३×६ फीट २४ गेजको मिडियम	गोटा	७४०	७७०	७७०
३६	रंगीन जस्ता पाता (सिजिआई सीट)				
३६.१	0.35 mm (26 guage light)	वण्डल	१०५००	११४००	११४००
३६.२	0.37 mm (26 guage Medium)	वण्डल	१०८१०	११८००	११८००
३६.३	0.41 mm (26 guage Heavy)	वण्डल	११८४०	१२९००	१२९००
३६.४	0.45 mm (24 guage light)	वण्डल	१२५६०	१३४००	१३४००
३६.५	0.50 mm (24 guage Medium)	वण्डल	१३५९५	१४५००	१४५००
३६.६	0.55 mm (24 guage Heavy)	वण्डल	१४४२०	१५५००	१५५००
३७	रंगीन प्लेन सीट				
३७.१	३×६ फीट २४ गेजको	गोटा	११३०	११८०	११८०
३७.२	३×६ फीट २६ गेजको	गोटा	९२५	९६५	९६५
३८	फलामे सामग्री				
३८.०१	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	११०	१२०	१२०
३८.०२	विभिन्न साइजको एंगल, चैनल, टी, फ्ल्याट इत्यादि	के.जी.	१०२	१११	११०
३८.०३	कालो पाईपको तयारी ट्रस	के.जी.	१३२	१४५	१४५
३८.०४	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	१०३	१४०	१४०
३८.०५	फलामे गेट (घर कम्पाउण्डको)	के.जी.	१३०	१४०	१५०
३८.०६	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	१३०	१४०	१४०
३८.०७	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	१३०	१४०	१४०

३८.०८	कोल्याब्सोवल गेट	के.जी.	१३०	१४०	१४०
३८.०९	Mild Steel Props for Concreting 2" dia 3.5mm wall thickness and 3.5m-4.0m height	गोटा			२०००
३९	रोलिङ सटर				
३९.१	१८ गेजको ब्याकसीट	ब.फु.	१५०	१६२	१६२
३९.२	२०गेजको ब्याकसीट	ब.फु.	१४५	१५८	१५८
४०	रबरसिल				
४०.१	क्यानल लार्डनिङ्ग	मी.	१०००	२३८	२३८
४०.२	गेटको लागि	मी.	३०००	२७५	२७५
	पाइप, फिटिङ तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
४१	जि. आई पाईप				
४१.०१	□ "० को लाइट	र.मी.	१४५.००	१७६.००	१७६.००
४१.०२	□ "० को मिडियम	र.मी.	१७०.००	२०७.००	२०७.००
४१.०३	□ "० को हेवी	र.मी.	२००.००	२४४.००	२४४.००
४१.०४	३/४"० को लाइट	र.मी.	२००.००	२४४.००	२४४.००
४१.०५	३/४"० को मिडियम	र.मी.	२१५.००	२६२.००	२६२.००
४१.०६	३/४"० को हेवी	र.मी.	२५५.००	३११.००	३११.००
४१.०७	१"० को लाइट	र.मी.	२७५.००	३३५.००	३३५.००
४१.०८	१"० को मिडियम	र.मी.	३२५.००	३९६.००	३९६.००
४१.०९	१"० को हेवी	र.मी.	३८०.००	४६३.००	४६३.००
४१.१०	१□ "० को लाइट	र.मी.	३७०.००	४५१.००	४५१.००
४१.११	१□ "० को मिडियम	र.मी.	४२०.००	५१२.००	५१२.००
४१.१२	१□ "० को हेवी	र.मी.	४८५.००	५९१.००	५९१.००
४१.१३	१□ "० को लाइट	र.मी.	४३५.००	५३०.००	५३०.००
४१.१४	१□ "० को मिडियम	र.मी.	४८५.००	५९२.००	५९२.००
४१.१५	१□ "० को हेवी	र.मी.	५६०.००	६८३.००	६८३.००
४१.१६	२"० को लाइट	र.मी.	५५०.००	६७१.००	६७१.००
४१.१७	२"० को मिडियम	र.मी.	६६०.००	८०६.००	८०६.००
४१.१८	२"० को हेवी	र.मी.	८१५.००	९९५.००	९९५.००
४१.१९	२□ "० को लाइट	र.मी.	७६०.००	९२७.००	९२७.००
४१.२०	२□ "० को मिडियम	र.मी.	८४५.००	१०३१.००	१०३१.००
४१.२१	२□ "० को हेवी	र.मी.	१०२०.००	१२४४.००	१२४४.००
४१.२२	३"० को लाइट	र.मी.	८९०.००	१०८५.००	१०८५.००
४१.२३	३"० को मिडियम	र.मी.	१०४५.००	१२७४.००	१२७४.००
४१.२४	३"० को हेवी	र.मी.	१२००.००	१४६४.००	१४६४.००

४१.२५	४"Ø को लाइट	र.मी.	१२७५.००	१५५५.००	१५५५.००
४१.२६	४"Ø को मिडियम	र.मी.	१५५०.००	१८९१.००	१८९१.००
४१.२७	४"Ø को हेवी	र.मी.	१८६०.००	२२६९.००	२२६९.००
४१.२८	५"Ø को लाइट	र.मी.	२०४२.००	२४९१.००	२४९१.००
४१.२९	५"Ø को मिडियम	र.मी.	२१५८.००	२६३२.००	२६३२.००
४१.३०	५"Ø को हेवी	र.मी.	२४३१.००	२९६५.००	२९६५.००
४१.३१	६"Ø को लाइट	र.मी.	२४२४.००	२९५७.००	२९५७.००
४१.३२	६"Ø को मिडियम	र.मी.	२६१२.००	३१८३.००	३१८३.००
४१.३३	६"Ø को हेवी	र.मी.	२७५२.००	३३५७.००	३३५७.००
४१.३४	८"Ø को लाइट	र.मी.	३३८७.००	४१३२.००	४१३२.००
४१.३५	८"Ø को मिडियम	र.मी.	३९९३.००	४८७०.००	४८७०.००
४१.३६	८"Ø को हेवी	र.मी.	४२४२.००	५१७५.२४	५१७५.२४
४२	एम्. एस. केसिड पाईप र फिटिंहर				
४१.३७	३०० मि मि Ø कसिड पाईप	मी.		१३०००	१३०००
४२.०१	२५० मि मि Ø कसिड पाईप	मी.	१०५००	११०००	११०००
४२.०२	१५० मि मि Ø केसिड पाईप	मी.	२८८७	२९५०	२९५०
४२.०३	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.	३९३७	४१००	४१००
४२.०४	२०० मि मि Ø केसिड पाईप	मी.	६३००	६३५०	६३५०
४२.०५	१०० मि मि Ø केसिड पाईप	मी.	१८३७	१९००	१९००
४२.०६	१२५ मि मि Ø केसिड पाईप	मी.	२५००	२५९०	२५९०
४२.०७	१२०० मि मि Ø स्लटेड स्कीन पाइप	मी.		६०००	६०००
४२.०८	१५० मि मि Ø स्लटेड स्कीन पाइप	मी.		८५००	८५००
४२.०९	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm		२१५००	२१५००
४२.१०	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm		१७५००	१७५००
४२.११	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm		१०५००	१०५००
४२.१२	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm		८५००	८५००

४२.१३	MS Reducer 250/200 mm	गोटा		७५००	७५००
४२.१४	MS Reducer 250/150 mm	गोटा		७९००	७९००
४२.१५	MS Reducer 200/150 mm	गोटा		६०००	६०००
४२.१६	Casing Shoe 5" dia	गोटा	४५००	४५००	४५००
४२.१७	Casing Shoe 6" dia	गोटा	८०००	८०००	८०००
४२.१८	Casing Shoe 8" dia	गोटा	१५०००	१५०००	१५०००
४२.१९	150mm dia. .30*.50m Elbow	गोटा	२६२५	२६२५	२६२५
४२.२०	150mm dia.Non Return Valve	गोटा	१८३७५	१८३७५	१८३७५
४२.२१	150mm dia. Flange	गोटा	२१००	२१००	२१००
४२.२२	150mm dia. .45*.15m Tee	गोटा	३१५०	३१५०	३१५०
४२.२३	150mm dia. Sluice Valve	गोटा	१८३७५	१८३७५	१८३७५
४२.२४	150mm dia. .3*.3m Bend	गोटा	२६२५	२६२५	२६२५
४२.२५	200mm dia. .60*.40m Tee	गोटा	५२५०	५२५०	५२५०
४२.२६	200mm dia. Flange	गोटा	२६२५	२६२५	२६२५
४२.२७	250mm dia. Flange	गोटा	३६७५	३६७५	३६७५
४२.२८	200mm dia. Sluice Valve	गोटा	२८८७५	२८८७५	२८८७५
४२.२९	200mm dia. .3*.3m Elbow	गोटा	४२००	४२००	४२००
४२.३०	100mm dia.Non Return Valve (Wt min ^m 10Kg)	गोटा	१३१२५	१३१२५	१३१२५
४२.३१	100mm dia. .15*.15m Elbow	गोटा	१५७५	१५७५	१५७५
४२.३२	100mm dia. Sluice Valve	गोटा	१३१२५	१३१२५	१३१२५
४२.३३	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	१३१२	१३१२	१३१२
४२.३४	४" एम्. एस्. पाईप Screen Knock	गोटा	२१००	२१००	२१००
४२.३५	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	ब.मी.	५७७	५७७	५७७
४२.३६	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	ब.मी.	५२५	५२५	५२५
४२.३७	२०० मि.मि. Alpha Alpha Valve	गोटा	४७२५	४७२५	४७२५
४२.३८	बटरफ्लाई भल्भ ६"	गोटा	७८७५	७८७५	७८७५
४२.३९	बटरफ्लाई भल्भ ४"	गोटा	६८२५	६८२५	६८२५
४२.४०	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली 6x3x0.75 मि., २०x20 से.मी. ६ मि.मि dia 7.25 kg	गोटा	२२००	२२००	२२००
४२.४१	10mm joint filler for canal lining	ब.मि.	१२००	१२००	१२००
४२.४२	Polysulphide joint sealer for cana lining	मि.	८००	८००	८००
४२.४३	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	३००	३००	३००
४२.४४	PVC Water stopper 230mm width 25mm dia center bub	मि.	११००	११००	११००
४३.०	यू.पी.भि.सि. फिटिंग				

४३.०१	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	१२००	१२००	१२००
४३.०२	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	२२५०	२२५०	२२५०
४३.०३	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	१७५०	१७५०	१७५०
४३.०४	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	७१०	७१०	७१०
४३.०५	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	१२५०	१२५०	१२५०
४३.०६	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	६५०	६५०	६५०
४३.०७	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	८५०	८५०	८५०
४३.०८	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	१०००	१०००	१०००
४३.०९	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	८००	८००	८००
४३.१०	PVC Coupler Flange 6" dia	गोटा	२५००	२५००	२५००
४३.११	Solvent Cement	लि.	५५०	५५०	५५०
४३.१२	४"Ø सक्सन पाइप	र.मी.	७१०	७१०	७१०
४३.१३	४"Ø सर्भिस पाइप	के.जी.	२७५	२७५	२७५
४३.१४	४"Ø भल्व बेण्ड	सेट	२५००	२५००	२५००
४४.०	कस टी				
४४.१०	१□ "Ø मिडियम जि.आई. ६ मुखे	गोटा	३२५५	३३३५	३३३५
४४.२०	१□ "Ø " ४ मुखे	गोटा	१८९०	१९३५	१९३५
४५.०	जि.आई. सकेट				
४५.०१	□ "Ø को मिडियम	गोटा	४२	४३	४३
४५.०२	□ "Ø को मिडियम	गोटा	६५	६६	६६
४५.०३	१"Ø को मिडियम	गोटा	८४	८६	८६
४५.०४	१□ "Ø को मिडियम	गोटा	१३२	१४०	१४०
४५.०५	१□ "Ø को मिडियम	गोटा	१७८	१९०	१९०
४५.०६	२"Ø को मिडियम	गोटा	२७६	२८०	२८०
४५.०७	२□ "Ø को मिडियम	गोटा	४६३	४७०	४७०
४५.०८	३"Ø को मिडियम	गोटा	६१८	६३०	६३०
४५.०९	४"Ø को मिडियम	गोटा	९७७	१०००	१०००
४६.०	जि.आई युनियन				
४६.०१	□ "Ø को मिडियम	गोटा	१२८	१३०	१३०
४६.०२	□ "Ø को मिडियम	गोटा	१८०	१८५	१८५
४६.०३	१"Ø को मिडियम	गोटा	२४२	२४५	२४५
४६.०४	१□ "Ø को मिडियम	गोटा	३६०	३७०	३७०
४६.०५	१□ "Ø को मिडियम	गोटा	४६८	४७५	४७५
४६.०६	२"Ø को मिडियम	गोटा	६५९	६७५	६७५

४६.०७	२" Ø को मिडियम	गोटा	७७२	७९०	७९०
४६.०८	३" Ø को मिडियम	गोटा	१७४०	१७८०	१७८०
४६.०९	४" Ø को मिडियम	गोटा	२३७९	२४३०	२४३०
४७	जि.आई. निप्पल				
४७.०१	1" Ø को मिडियम ६"	गोटा	८३	८५	८५
४७.०२	1" Ø को मिडियम ६"	गोटा	११४	११५	११५
४७.०३	१" Ø को मिडियम ६"	गोटा	१५४	१५०	१५०
४७.०४	१" Ø को मिडियम ६"	गोटा	२०६	२१०	२१०
४७.०५	१" Ø को मिडियम ६"	गोटा	२५७	२६०	२६०
४७.०६	२" Ø को मिडियम ६"	गोटा	३६०	३६९	३६९
४७.०७	२" Ø को मिडियम ६"	गोटा		६५०	६५०
४७.०८	३" Ø को मिडियम ६"	गोटा		९७५	९७५
४७.०९	४" Ø को मिडियम ६"	गोटा		११५०	११५०
४७.१०	GI nipple 3"long	गोटा		९०	९०
४७.११	15 mm Ø Medium	गोटा		१२५	१२५
४७.१२	20 mm Ø Medium	गोटा		१६९	१६९
४७.१३	25 mm Ø Medium	गोटा		२२५	२२५
४७.१४	32 mm Ø Medium	गोटा		२८१	२८१
४७.१५	40 mm Ø Medium	गोटा		३९३	३९३
४७.१६	50 mm Ø Medium	गोटा		५६८	५६८
४७.१७	65 mm Ø Medium	गोटा		८५२	८५२
४७.१८	80 mm Ø Medium	गोटा		१००५	१००५
४८	जि.आई. टी				
४८.०१	1" Ø को मिडियम	गोटा	७३	७४	७४
४८.०२	1" Ø को मिडियम	गोटा	११८	१२०	१२०
४८.०३	१" Ø को मिडियम	गोटा	१५९	१६०	१६०
४८.०४	१" Ø को मिडियम	गोटा	२५७	२६३	२६३
४८.०५	१" Ø को मिडियम	गोटा	३०९	३१६	३१६
४८.०६	२" Ø को मिडियम	गोटा	४८४	४९५	४९५
४८.०७	२" Ø को मिडियम	गोटा		१०४८	१०४८
४८.०८	३" Ø को मिडियम	गोटा		१५९५	१५९५
४८.०९	४" Ø को मिडियम	गोटा		२८५५	२८५५
४९.००	GI unequal Tee				
४९.०१	20x20x15 mm Ø	गोटा		१६०	१६०
४९.०२	25x25x15 mm Ø	गोटा		२१७	२१७

४९.०३	32x32x15 mm Φ	गोटा		३१६	३१६
४९.०४	40x40x15 mm Φ	गोटा		४१८	४१८
४९.०५	50x50x15 mm Φ	गोटा		६६२	६६२
४९.०६	65x65x15 mm Φ	गोटा		१२४२	१२४२
४९.०७	80x80x15 mm Φ	गोटा		१७८२	१७८२
४९.०८	100x100x15 mm Φ	गोटा		२९०६	२९०६
४९.०९	50x50*25 mm Φ	गोटा		६६२	६६२
४९.१०	50x50*32 mm Φ	गोटा		६६२	६६२
४९.११	50*50 *40mm Φ	गोटा		६६२	६६२
४९.१२	65x65x25mm Φ	गोटा		१२४२	१२४२
४९.१३	65*65*32mm Φ	गोटा		१२४२	१२४२
४९.१४	65*65*40mm Φ	गोटा		१२४२	१२४२
४९.१५	65*65*50mm Φ	गोटा		१२४२	१२४२
४९.१६	80x80x25 mm Φ	गोटा		१७८२	१७८२
४९.१७	80x80x32 mm Φ	गोटा		१७८२	१७८२
४९.१८	80x80x40 mm Φ	गोटा		१७८२	१७८२
४९.१९	80x80x50 mm Φ	गोटा		१७८२	१७८२
४९.२०	80x80x65mm Φ	गोटा		१७८२	१७८२
४९.२१	100*100x25 mm Φ	गोटा		२९०६	२९०६
४९.२२	100*100*32 mm Φ	गोटा		२९०६	२९०६
४९.२३	100*100*40 mm Φ	गोटा		२९०६	२९०६
४९.२४	100*100*50 mm Φ	गोटा		२९०६	२९०६
४९.२५	100*100*65 mm Φ	गोटा		२९०६	२९०६
४९.२६	100*100*80 mm Φ	गोटा		२९०६	२९०६
५०	ग्लोब भल्ब				
५०.०१	□ "Ø को मिडियम	गोटा	७६४	७८०	७८०
५०.०२	□ "Ø को मिडियम	गोटा	१२९२	१३२४	१३२४
५०.०३	१"Ø को मिडियम	गोटा	१८३८	१८८०	१८८०
५०.०४	१□ "Ø को मिडियम	गोटा	३५७३	३६६०	३६६०
५०.०५	१□ "Ø को मिडियम	गोटा	४५३६	४६५०	४६५०
५०.०६	२"Ø को मिडियम	गोटा	६०२४	६१७५	६१७५
५०.०७	२□ "Ø को मिडियम	गोटा		१४९४५	१४९४५
५०.०८	३"Ø को मिडियम	गोटा		२१३६५	२१३६५
५०.०९	४"Ø को मिडियम	गोटा		३६४०७	३६४०७
५१	गेट भल्ब (ब्रास)				
५१.०१	□ "Ø को मिडियम	गोटा	८२४	८४४	८४४

५१.०२	□ "० को मिडियम	गोटा	११४५	११७५	११७५
५१.०३	१"० को मिडियम	गोटा	१७२०	१७६०	१७६०
५१.०४	१□ "० को मिडियम	गोटा	२६३०	२६९०	२६९०
५१.०५	१□ "० को मिडियम	गोटा	३५७४	३६६०	३६६०
५१.०६	२"० को मिडियम	गोटा	५४१३	५५४०	५५४०
५१.०७	२□ "० को मिडियम	गोटा		११६५२	११६५२
५१.०८	३"० को मिडियम	गोटा		१६२०५	१६२०५
५१.०९	४"० को मिडियम	गोटा		३११७७	३११७७
५२	एयर भल्ब				
५२.०१	□ "० को मिडियम	गोटा	४५६८	४६८०	४६८०
५२.०२	□ "० को मिडियम	गोटा	४७४६	४८६०	४८६०
५२.०३	१"० को मिडियम	गोटा	७०९६	७०९६	७०९६
५३	जि.आई. रिड्यूसर				
५३.०१	□ X □ " को	गोटा	७२	७३	७३
५३.०२	□ X १" को	गोटा	९२	९५	९५
५३.०३	१ X १□ " को	गोटा	१४४	१४७	१४७
५३.०४	१□ X १□ "को	गोटा	१७५	१८०	१८०
५३.०५	१□ X २"को	गोटा	३०९	३१५	३१५
५३.०६	२ X २□ " को	गोटा	४१२	४२२	४२२
५३.०७	२□ X ३"को	गोटा	७७२	७९०	७९०
५३.०८	३ X ४" को	गोटा	१०८१	११००	११००
५४	जि.आई. एल्बो				
५४.०१	□ "० को मिडियम	गोटा	४६	४८	४८
५४.०२	□ "० को मिडियम	गोटा	७३	७४	७४
५४.०३	१"० को मिडियम	गोटा	११६	११८	११८
५४.०४	१□ "० को मिडियम	गोटा	१७५	१८०	१८०
५४.०५	१□ "० को मिडियम	गोटा	२४९	२५५	२५५
५४.०६	२"० को मिडियम	गोटा	३७९	३८८	३८८
५४.०७	२□ "० को मिडियम	गोटा		९००	९००
५४.०८	३"० को मिडियम	गोटा		११००	११००
५४.०९	४"० को मिडियम	गोटा		२२००	२२००
५५	जि.आई. इन्डक्याप				
५५.०१	□ " को मिडियम	गोटा	४६	४८	४८

५५.०२	□ " को मिडियम	गोटा	७२	७५	७५
५५.०३	१" को मिडियम	गोटा	९२	९५	९५
५५.०४	१□ " को मिडियम	गोटा	१८०	१८५	१८५
५५.०५	१□ " को मिडियम	गोटा	२००	२०२	२०२
५५.०६	२" को मिडियम	गोटा	२५७	२६०	२६०
५५.०७	२□ " को मिडियम	गोटा		५५५	५५५
५६	फलामे मेनहोल कवर				
५६.०१	६० से.मी. ब्यासको (खानेपानीको लागि)	गोटा	२३७०	२४५०	२४५०
५६.०२	९० से.मी.ब्यासको (खानेपानीको लागि)	गोटा	२८१२	२९५०	२९५०
५६.०३	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा		३०००	३०००
५६.०४	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा		५५००	५५००
५६.०५	CI Manhole Cover Round 450mm 49 Kg weight	गोटा		१००००	१००००
५६.०६	CI Manhole Cover Round 500mm 50 Kg weight	गोटा		१०५००	१०५००
५६.०७	CI Manhole Cover Round 600mm 90 Kg weight	गोटा		१९०००	१९०००
५६.०८	CI Manhole Cover Round 750mm 115 Kg weight	गोटा		२३०००	२३०००
५७	टुटी				
५७.०१	पित्तलको हेभी	गोटा	६८०	७००	७००
५७.०२	पित्तलको लाईट	गोटा	४७०	४९०	४९०
५७.०३	प्लास्टिकको	गोटा	१५५	१६०	१६०
५८	पोलिथिनको पानी टंकी	लिटर	१३	१३	१३
५९	स्टिलको पानी टंकी	लिटर	२०	२१	२३
६०	हेण्डपम्प गाड्ने कार्य				
६०.०१	६० फीटसम्म गहिरो	फिट	४३२६	४३२६	४३२६
६०.०२	६० फीटभन्दा बढी गहिरो	फिट	६६	६६	६६
६१	हेण्डपम्प				
६१.०१	४ नं. को लाइट	गोटा	१८०२	१८०२	१८०२
६१.०२	४ नं. को हेभी	गोटा	२५२३	२५२३	२५२३
६१.०३	६ नं. को हेभी	गोटा	३२९६	३२९६	३२९६
६१.०४	६ नं. को लाईट	गोटा	३६०५	३६०५	३६०५
६२	फ्लोट भल्भ				
६२.०१	□ "० को	गोटा	२८६८	२८६८	२८६८
६२.०२	□ "० को	गोटा	३३२६	३३२६	३३२६

६२.०३	१"Ø को	गोटा	४३६२	४३६२	४३६२
६२.०४	१"Ø को	गोटा	९२७०	९२७०	९२७०
६२.०५	१"Ø को	गोटा	१२७१०	१२७१०	१२७१०
६२.०६	Brass 15 mm Φ Gun Metal Ferrule	गोटा		१०८३	१०८३
६२.०७	Brass Bib Cok Heavy 15 mm Φ(400 gm)	गोटा		७५०	७५०
६२.०८	15 mm Φ Water Meter Rotory Piston type	गोटा		२५००	२५००
६२.०९	Brass 15 mm Φ regulator With Key	गोटा		१४१०	१४१०
६३	जि.आई/एच.डि.पि फ्लेन्ज सेट				
६३.०१	1"Ø को	गोटा	५०९	५०९	५०९
६३.०२	1"Ø को	गोटा	५६६	५६६	५६६
६३.०३	१"Ø को	गोटा	७३६	७३६	७३६
६३.०४	१"Ø को	गोटा	९०६	९०६	९०६
६३.०५	१"Ø को	गोटा	११८९	११८९	११८९
६३.०६	२"Ø को	गोटा	१५४५	१५४५	१५४५
६३.०७	२"Ø को	गोटा	१९०५	१९०५	१९०५
६३.०८	३"Ø को	गोटा	२३१७	२३१७	२३१७
६३.०९	४"Ø को	गोटा	२८३२	२८३२	२८३२
६३.१०	100/125 mm Φ	गोटा		३३५०	३३५०
६३.११	125/140mm Φ	गोटा		४०००	४०००
६३.१२	150/160 mm Φ	गोटा		४५००	४५००
६३.१३	150/180 mm Φ	गोटा		४७५०	४७५०
६३.१४	150/200 mm Φ	गोटा		५०००	५०००
६३.१५	200/225 mm Φ	गोटा		६०००	६०००
६३.१६	200/250 mm Φ	गोटा		६५००	६५००
६३.१७	250/280 mm Φ	गोटा		८०००	८०००
६४.००	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket				
६४.०१	63mm Φ	गोटा		२२५०	२२५०
६४.०२	75mm Φ	गोटा		२७५०	२७५०
६४.०३	90 mm Φ	गोटा		३२५०	३२५०
६४.०४	110 mm Φ	गोटा		३३५०	३३५०
६४.०५	125 mm Φ	गोटा		४०००	४०००
६४.०६	140mm Φ	गोटा		४५००	४५००
६४.०७	160 mm	गोटा		४७५०	४७५०
६४.०८	180 mm Φ	गोटा		५०००	५०००
६४.०९	200 mm Φ	गोटा		६०००	६०००

६४.१०	225 mm Φ	गोटा		६५००	६५००
६४.११	250 mm Φ			८०००	८०००
६५.००	GI /GI flange set				
६५.०१	50mm Φ	गोटा		१३००	१३००
६५.०२	65mm Φ	गोटा		१५००	१५००
६५.०३	80 mm Φ	गोटा		१८००	१८००
६५.०४	100 mm Φ	गोटा		२२००	२२००
६५.०५	125mm Φ	गोटा		२६००	२६००
६५.०६	150 mm Φ	गोटा		३०००	३०००
६५.०७	200 mm Φ	गोटा		५०००	५०००
६५.०८	250mm Φ	गोटा		६०००	६०००
६६	ब्रास युनियन				
६६.०१	□ "Ø को	गोटा	१८३	१९०	१९०
६६.०२	□ "Ø को	गोटा	३८२	३९०	३९०
६६.०३	१"Ø को	गोटा	४७३	४७५	४७५
६६.०४	१□ "Ø को	गोटा	६६९	६७५	६७५
६६.०५	१□ "Ø को	गोटा	९६८	९८०	९८०
६६.०६	२"Ø को	गोटा	१६५९	१६१५	१६१५
६६.०७	२□ "Ø को	गोटा	५१३९	५१३९	५१३९
६६.०८	३"Ø को	गोटा	७६९६	७६९६	७६९६
६६.०९	४"Ø को	गोटा	११७३१	११७३१	११७३१
६६.१०	५"Ø को	गोटा	१६४२८	१६४२८	१६४२८
६६.११	एच.डी.पि.ई. पाईप NS	के.जी.	२७२	३०५	३००
६७	DI Pipe Double Flange Pipe k 9 Series				
६७.०१	80 mm dia	Mrt		४०००	४०००
६७.०२	100mm dia	Mrt		५०००	५०००
६७.०३	125mm dia	Mrt		६१००	६१००
६७.०४	150 mm dia	Mrt		७०००	७०००
६७.०५	200mm dia	Mrt		९०००	९०००
६७.०६	250mm dia	Mrt		१३०००	१३०००
६७.०७	300mm dia	Mrt		१७५००	१७५००
६८.००	DI Pipe Spigot Pipe C-40				
६८.०१	80 mm dia	Mrt		२४५०	२४५०
६८.०२	100mm dia	Mrt		२७५०	२७५०
६८.०३	125mm dia	Mrt		३७५०	३७५०

୬୮.୦୪	150 mm dia	Mrt		୫୫୦୦	୫୫୦୦
୬୮.୦୫	200mm dia	Mrt		୭୦୦୦	୭୦୦୦
୬୮.୦୬	250mm dia	Mrt		୯୦୦୦	୯୦୦୦
୬୮.୦୭	300mm dia	Mrt		୧୧୫୦୦	୧୧୫୦୦
୬୯.୦୦	CI Sluice valve				
୬୯.୧୦	65 mm Dia	No		୧୧୫୦୦	୧୧୫୦୦
୬୯.୧୧	80 mm Dia	No		୧୩୫୦୦	୧୩୫୦୦
୬୯.୧୨	100mm Dia	No		୧୭୫୦୦	୧୭୫୦୦
୬୯.୧୩	125mm Dia	No		୨୧୫୦୦	୨୧୫୦୦
୬୯.୧୪	150mm Dia	No		୨୭୫୦୦	୨୭୫୦୦
୬୯.୧୫	200mm Dia	No		୩୭୫୦୦	୩୭୫୦୦
୬୯.୧୬	250mm Dia	No		୫୭୫୦୦	୫୭୫୦୦
୬୯.୧୭	300mm Dia	No		୮୧୫୦୦	୮୧୫୦୦
୭୦.୦୦	DI Sluice valve				
୭୦.୦୧	65 mm Dia	No		୧୭୫୦୦	୧୭୫୦୦
୭୦.୦୨	80 mm Dia	No		୨୫୫୦୦	୨୫୫୦୦
୭୦.୦୩	100mm Dia	No		୩୫୦୦୦	୩୫୦୦୦
୭୦.୦୪	125mm Dia	No		୪୫୦୦୦	୪୫୦୦୦
୭୦.୦୫	150mm Dia	No		୫୨୫୦୦	୫୨୫୦୦
୭୦.୦୬	200mm Dia	No		୭୦୦୦୦	୭୦୦୦୦
୭୦.୦୭	250mm Dia	No		୧୦୫୦୦୦	୧୦୫୦୦୦
୭୦.୦୮	300mm Dia	No		୧୫୧୦୦୦	୧୫୧୦୦୦
୭୧.୦୦	DI Duck foot bend Double Flange				
୭୧.୦୧	100mm Dia	No		୭୫୦୦	୭୫୦୦
୭୧.୦୨	125mm Dia	No		୧୨୫୦୦	୧୨୫୦୦
୭୧.୦୩	150mm Dia	No		୧୫୫୦୦	୧୫୫୦୦
୭୧.୦୪	200mm Dia	No		୨୧୦୦୦	୨୧୦୦୦
୭୧.୦୫	250mm Dia	No		୩୫୫୦୦	୩୫୫୦୦
୭୧.୦୬	300mm Dia	No		୪୫୦୦୦	୪୫୦୦୦
୭୨.୦୦	DI Double Flange bend 90°				
୭୨.୦୧	80mm Dia	No		୫୦୦୦	୫୦୦୦
୭୨.୦୨	100mm Dia	No		୬୦୦୦	୬୦୦୦
୭୨.୦୩	125mm Dia	No		୭୦୦୦	୭୦୦୦
୭୨.୦୪	150mm Dia	No		୯୦୦୦	୯୦୦୦
୭୨.୦୫	200mm Dia	No		୧୫୦୦୦	୧୫୦୦୦
୭୨.୦୬	250mm Dia	No		୨୧୦୦୦	୨୧୦୦୦

୭୨.୦୭	300mm Dia	No		୨୭୫୦୦	୨୭୫୦୦
୭୨.୦୮	DI Reducer	No			
୭୨.୦୯	300mm *250 mm	No		୨୫୫୦୦	୨୫୫୦୦
୭୨.୧୦	250mm *200mm	No		୨୦୦୦୦	୨୦୦୦୦
୭୨.୧୧	200mm *150 mm	No		୧୫୦୦୦	୧୫୦୦୦
୭୨.୧୨	150mm *125mm	No		୧୪୫୦୦	୧୪୫୦୦
୭୨.୧୩	150mm *100mm	No		୧୪୦୦୦	୧୪୦୦୦
୭୩.୦୦	C.I None return Valve				
୭୩.୦୧୦	80mm Dia	No		୧୩୫୦୦	୧୩୫୦୦
୭୩.୦୨୦	100mm Dia	No		୧୭୫୦୦	୧୭୫୦୦
୭୩.୦୩୦	125mm Dia	No		୨୧୫୦୦	୨୧୫୦୦
୭୩.୦୪୦	150mm Dia	No		୨୫୫୦୦	୨୫୫୦୦
୭୩.୦୫୦	200mm Dia	No		୩୫୫୦୦	୩୫୫୦୦
୭୩.୦୬୦	250mm Dia	No		୪୫୫୦୦	୪୫୫୦୦
୭୩.୦୭୦	300mm Dia	No		୫୯୦୦୦	୫୯୦୦୦
୭୪.୦୦	Cast Steel None return Valve				
୭୪.୦୧୦	80mm Dia	No		୬୫୫୦୦	୬୫୫୦୦
୭୪.୦୨୦	100mm Dia	No		୭୫୫୦୦	୭୫୫୦୦
୭୪.୦୩୦	125mm Dia	No		୮୧୫୦୦	୮୧୫୦୦
୭୪.୦୪୦	150mm Dia	No		୮୯୫୦୦	୮୯୫୦୦
୭୫.୦୦	DI All Flange Tee				
୭୫.୧୦	80mm Dia	No		୭୫୦୦	୭୫୦୦
୭୫.୧୧	100mm Dia	No		୧୨୫୦୦	୧୨୫୦୦
୭୫.୧୨	125mm Dia	No		୧୫୫୦୦	୧୫୫୦୦
୭୫.୧୩	150mm Dia	No		୧୭୫୦୦	୧୭୫୦୦
୭୫.୧୪	200mm Dia	No		୩୨୫୦୦	୩୨୫୦୦
୭୫.୧୫	250mm Dia	No		୪୧୫୦୦	୪୧୫୦୦
୭୫.୧୬	300mm Dia	No		୫୯୫୦୦	୫୯୫୦୦
୭୬.୦୦	CI Mechanical Coupling				
୭୬.୦୧	150 mm dia	No		୧୧୫୦୦	୧୧୫୦୦
୭୬.୦୨	200 mm dia	No		୧୭୫୦୦	୧୭୫୦୦
୭୬.୦୩	250 mm dia	No		୨୭୫୦୦	୨୭୫୦୦
୭୬.୦୪	300 mm dia	No		୪୧୫୦୦	୪୧୫୦୦
୭୭.୦୦	CI Bell Mouth one side flange				
୭୭.୦୧	150 mm dia	No		୧୦୫୦୦	୧୦୫୦୦
୭୭.୦୨	200 mm dia	No		୧୫୫୦୦	୧୫୫୦୦

୩୭.୦୩	250 mm dia	No		୨୭୫୦୦	୨୭୫୦୦
୩୭.୦୪	300 mm dia	No		୩୦୦୦୦	୩୦୦୦୦
୩୮.୦୦	Quick Repair Joint for HDPE Pipe				
୩୮.୦୧	90 mm dia	No		୭୦୦୦	୭୦୦୦
୩୮.୦୨	110mm dia	No		୮୦୦୦	୮୦୦୦
୩୮.୦୩	125mm dia	No		୧୦୦୦୦	୧୦୦୦୦
୩୮.୦୪	140 mm dia	No		୧୨୦୦୦	୧୨୦୦୦
୩୮.୦୫	160mm dia	No		୧୪୦୦୦	୧୪୦୦୦
୩୮.୦୬	180mm dia	No		୧୭୫୦୦	୧୭୫୦୦
୩୮.୦୭	200mm dia	No		୨୦୦୦୦	୨୦୦୦୦
୩୮.୦୮	250mm Dia	No		୨୩୦୦୦	୨୩୦୦୦
୩୮.୦୯	Flow meter Water Meter				
୩୮.୧୦	80mm Dia	No		୫୫୦୦୦	୫୫୦୦୦
୩୮.୧୧	100mm Dia	No		୬୫୦୦୦	୬୫୦୦୦
୩୮.୧୨	125mm Dia	No		୭୫୦୦୦	୭୫୦୦୦
୩୮.୧୩	150mm Dia	No		୮୫୦୦୦	୮୫୦୦୦
୩୮.୧୪	200mm Dia	No		୧୦୫୦୦୦	୧୦୫୦୦୦
୩୮.୧୫	250mm Dia	No		୧୩୫୦୦୦	୧୩୫୦୦୦
୩୮.୧୬	300mm Dia	No		୧୭୫୦୦୦	୧୭୫୦୦୦
୩୯.୦୦	DI unequal Tee With flange				
୩୯.୦୧	125x125x100 mm Φ	No		୧୭୫୦୦	୧୭୫୦୦
୩୯.୦୨	125x125x80 mm Φ	No		୧୭୫୦୦	୧୭୫୦୦
୩୯.୦୩	150x150x125 mm Φ	No		୨୧୫୦୦	୨୧୫୦୦
୩୯.୦୪	150x150x100 mm Φ	No		୨୨୫୦୦	୨୨୫୦୦
୩୯.୦୫	150x150x80mm Φ	No		୨୩୫୦୦	୨୩୫୦୦
୩୯.୦୬	200x200x150 mm Φ	No		୩୭୫୦୦	୩୭୫୦୦
୩୯.୦୭	200x200x125 mm Φ	No		୪୦୦୦୦	୪୦୦୦୦
୩୯.୦୮	200x200x100 mm Φ	No		୪୨୫୦୦	୪୨୫୦୦
୩୯.୦୯	250x250x200 mm Φ	No		୫୭୫୦୦	୫୭୫୦୦
୩୯.୧୦	250x250x150mm Φ	No		୬୦୦୦୦	୬୦୦୦୦
୩୯.୧୧	250x250x125 mm Φ	No		୬୫୦୦୦	୬୫୦୦୦
୩୯.୧୨	250x250x100 mm Φ	No		୭୦୦୦୦	୭୦୦୦୦
୩୯.୧୩	Rubber Gasket	Kg		୩୫୦	୩୫୦
୩୯.୧୪	Nut Bolt (Different size)	Kg		୨୫୦	୨୫୦
୩୯.୧୫	MS Saddle Clamps Different Size with nut bolt all complete	No		୪୫୦୦	୪୫୦୦
୪୦.୦୦	HDPE Saddle Clamp				

८०.०१	160*160*15 Dia (HDPE*HDPE	No		१२५०	१२५०
८०.०२	140*140*15 Dia (HDPE*HDPE	No		११००	११००
८०.०३	125*125*15 Dia (HDPE*HDPE	No		१०००	१०००
८०.०४	110*110*15 Dia (HDPE*HDPE	No		६५०	६५०
८०.०५	90*90*15 Dia (HDPE*HDPE	No		६५०	६५०
८०.०६	75*75*15 Dia (HDPE*HDPE	No		४५०	४५०
८०.०७	63*63*15 Dia (HDPE*HDPE	No		४५०	४५०
८०.०८	50*50*15 Dia (HDPE*HDPE	No		३५०	३५०
८०.०९	40*40*15 Dia (HDPE*HDPE	No		३५०	३५०
८०.१०	32*32*15 Dia (HDPE*HDPE	No		२५०	२५०
८१.००	MS Flange Cutting, Welding, Grading, Instalation				
८१.०१	80mm Dia	No		७५०	७५०
८१.०२	100mm Dia	No		१०००	१०००
८१.०३	125mm Dia	No		१३५०	१३५०
८१.०४	150mm Dia	No		१५५०	१५५०
८१.०५	200mm Dia	No		२२५०	२२५०
८१.०६	250mm Dia	No		३०००	३०००
८१.०७	300mm Dia	No		५०००	५०००
८१.०८	250 mm dia Top surface plate	No		३५०००	३५०००
८१.०९	pressure gage	No		५५००	५५००
८१.१०	Chain Puli 3 ton	No		४५०००	४५०००
८१.११	4" Pipe Clamp	No		६५००	६५००
८१.१२	Wire Rope for Pump Lowering	Mrt		५५००	५५००
८१.१३	Distribution board	Set		७५०००	७५०००
८१.१४	OHT Lighting Arrestor	Set		२५०००	२५०००
८१.१५	OHT Water level indicator	Set		६५०००	६५०००
	औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
८१	गल (सव्वल)	गोटा	११३३	११३३	११३३
८२	फरुवा	गोटा	३२४	३२४	३२४
८३	दाते, नग्रे	गोटा	५८७	५८७	५८७
८४	धुर्मुस ५ केजी	गोटा	१०३०	१०३०	१०३०
८५	हजारी	गोटा	८५४	८५४	८५४
८६	बासको टोकरी	गोटा	१८५	१८५	१८५
८७	हसिया				
८७.१	क) सानो	गोटा	२६७	२६७	२६७
८७.२	ख) ठुलो	गोटा	८६५	८६५	८६५

८८	ठुलो कोवाल	गोटा	५२५३	५२५३	५२५३
८९	हतौडा	के.जी.	२३६	२३६	२३६
९०	हावा भर्ने पम्प (खुट्टाले)	गोटा	१०८१	१०८१	१०८१
९१	हावा भर्ने पम्प (हातले)	गोटा	३२४	३२४	३२४
९२	बन्चरो	गोटा	१८५४	१८५४	१८५४
९३	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	५६६	५६६	५६६
९४	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	४५३	४५३	४५३
९५	मास्क	गोटा	५९	५९	५९
९६	गम बुट	गोटा	८२४	८२४	८२४
९७	कपडाको जुता	गोटा	७२१	७२१	७२१
९८	रेनकोट	गोटा	२५७५	२५७५	२५७५
९९	कडा पन्जा	गोटा	३०९	३०९	३०९
१००	सन ग्लास	गोटा	६१८	६१८	६१८
१०१	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	१२३	१२३	१२३
१०२	बेल्टा	गोटा	६६९	६६९	६६९
१०३	गैटी	गोटा	७२१	७२१	७२१
१०४	कोदालो/फाउडो	गोटा	६१८	६१८	६१८
१०५	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	६१८	६१८	६१८
१०६	हसिया	गोटा	२७२	२७२	२७२
१०७	फोर्कड हेरो	गोटा	२५७	२५७	२५७
१०८	कील बेरो				
१०८.१	क) हलुका	गोटा	७७२५	७७२५	७७२५
१०८.२	ख) हेभी	गोटा	९७८५	९७८५	९७८५
१०९	छिनो १x६ इन्चको	गोटा	३०९	३०९	३०९
११०	छिनो १x१२ इन्चको	गोटा	४१२	४१२	४१२
१११	घन ५ किलोको	गोटा	९९९	९९९	९९९
११२	घन १० किलोको	गोटा	१६४८	१६४८	१६४८
११३	हिटिड प्लेट १०० मि.मि.को	गोटा	७२१	७२१	७२१
११४	हिटिड प्लेट १५० मि.मि.को	गोटा	१४४२	१४४२	१४४२
११५	टेफ्लोन कभर	मी.	२३९९	२३९९	२३९९
११६	थर्मोक्रोम चक	गोटा	५४०	५४०	५४०
११७	ब्लो टर्च	गोटा	५९४	५९४	५९४
११८	बर्नर	गोटा	१०८१	१०८१	१०८१
११९	पाईप रेन्च १४ ईन्ची	गोटा	६९०	६९०	६९०
१२०	पाईप रेन्च १८ ईन्ची	गोटा	८४९	८४९	८४९

१२१	पाईप रेन्च २४ ईन्ची	गोटा	१५४५	१५४५	१५४५
१२२	पाईप चेन रेन्च ४८ ईन्ची	ईन्ची	१०२	१०२	१०२
१२३	हेक्सा फ्रेम	गोटा	१३५	१३५	१३५
१२४	हेक्सा ब्लेड	गोटा	२१	२१	२१
१२५	एडजस्टेबल रेन्च	गोटा	६४८	६४८	६४८
१२६	फलामे तसला	गोटा	२१६	२१६	२१६
१२७	कर्नी	गोटा	१२८	१२८	१२८
१२८	रेती	गोटा	३८१	३८१	३८१
१२९	वायर ब्रश	गोटा	७७	७७	७७
१३०	डाई सेट □ " देखि १ " साधारण	गोटा	२५७५	२५७५	२५७५
१३१	डाई सेट □ " देखि १" Richard or Equivalent	गोटा	३८३६	३८३६	३८३६
१३२	डाई सेट १.२५" देखि २" साधारण	गोटा	४३२६	४३२६	४३२६
१३३	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	८१५३	८१५३	८१५३
१३४	डाई सेट टीथ □ " देखि १" साधारण Richard or Equivalent	गोटा	२६०१	२६०१	२६०१
१३५	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	३५८२	३५८२	३५८२
१३६	डाई टीथ आयल भाँडो समेत	लीटर	५४०	५४०	५४०
१३७	टेबुल भाईस, २"	गोटा	२२६६	२२६६	२२६६
१३८	टेबुल भाईस, ३"	गोटा	२७५८	२७५८	२७५८
१३९	मेजरिड टेप ५ मिटर	गोटा	२१६	२१६	२१६
१४०	मेजरिड टेप ३० मिटर	गोटा	७७२	७७२	७७२
१४१	काठे हाते आरी / करौति	गोटा	५१५	५१५	५१५
१४२	टुल बक्स १४X ८X १२ इन्च साइजको	गोटा	२५७५	२५७५	२५७५
	सेनेटरी (सरसफाई) तर्फ				
१४३	युरिनल सेट				
१४३.०१	१०.५"X१४.५"X१२.५" को (राम्रो)	गोटा	१७३२	१७३२	१७३२
१४३.०२	" " (साधारण)	गोटा	११५५	११५५	११५५
१४३.०३	६८X३० से.मि. लेडिज युरिनल (राम्रो)	सेट	२२०५	२२०५	२२०५
१४३.०४	" " (साधारण)	सेट	१२६०	१२६०	१२६०
१४४	सिपी बेण्ड सहितको सावर	गोटा	१४४३	१४४३	१४४३
१४५	तौलिया रड				
१४५.०१	१८"X०.५" (राम्रो)	गोटा	११०२	११०२	११०२
१४५.०२	१८"X०.५" (साधारण)	गोटा	६५६	६५६	६५६
१४६	सी.पी. सोप डिस्	गोटा	५५१	५५१	५५१
१४७	१२"X१८" को वाथरुम ऐना	गोटा	११०२	११०२	११०२

१४८	बास वेसिन सेट				
१४८.०१	२०"x१६" को (राम्रो)	सेट	२६२५	२६२५	२६२५
१४८.०२	१६"x२२" को बास वेसिन सेट (राम्रो)	सेट	३६७५	३६७५	३६७५
१४९	लो लेभल सिस्टर्न				
१४९.०१	(राम्रो) सेरामिक	सेट	६८२५	६८२५	६८२५
१४९.०२	लो लेभल सिस्टर्न (प्लास्टीक)	सेट	२३१०	२३१०	२३१०
१५०	एच.डी.पी. कोअल २"Ø को	सेट	६८	६८	६८
१५१	ट्याइलेट सिट (वाटर क्लोसेट)				
१५१.०१	१८" भारती पायदान सहित (ISI)	सेट	२५२०	२६००	२६००
१५१.०२	१८" भारती लोकल पायदान सहित	सेट	१३६५	१५००	१५००
१५१.०३	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	२३१०	२४१५	२४१५
१५१.०४	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	११५५	१२१५	१२१५
१५१.०५	कमोड पि वा एस ट्याप (ISI)	सेट	३४६५	३६००	३६००
१५१.०६	कमोड पि वा एस ट्याप (local)	सेट	१७३२	१८५०	१८५०
१५१.०७	इकोस्थान प्यान सेट	सेट	१८३७	१९००	१९००
१५१.०८	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	१८०००	१९०००	१९०००
१५१.०९	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	२०३००	२१०००	२१०००
१५१.१०	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	२८८००	३००००	३००००
१५२	१□ " सि.पि.पाईप कपलिं समेत	गोटा	९७१	९७१	९७१
१५३	१□ " सि.पि.पाईप पि.वा एस ट्याप	गोटा	११५५	११५५	११५५
१५४	□ "फेन्सी पिल्ट कक	गोटा	१०५०	१०५०	१०५०
१५५	□ "Ø ३० " पाईप कनेक्टर	गोटा	२३१	२३१	२३१
१५६	सिङ्क				
१५६.०१	१८ X २२ X ८ इन्ची स्टील	गोटा	३२३४	३२३४	३२३४
१५६.०२	१८ X ३८ X ८ इन्ची स्टील	गोटा	४६२०	४६२०	४६२०
१५६.०३	१८ X २२ X ८ सिङ्क फलामे	गोटा	२३१०	२३१०	२३१०
१५७	१□ " वासर कपलिङ्ग	गोटा	५५१	५५१	५५१
१५८	१□ "पितलको बिब कक	गोटा	३५०	३५०	३५०
१५९	□ " सि.पि बिब कक	गोटा	१०००	१०००	१०००
१६०	□ "सि.पि स्टप कक	गोटा	९५०	९५०	९५०
१६१	□ "कनेक्टर स्टप कक	गोटा	७५०	७५०	७५०

१६२	पि.भि.सि. पाइप तथा फिटिंग				
१६२.०१	११० मी.मी. ४ के.जी. प्रेशर	पीस	२९४०	३०८०	३०८०
१६२.०२	७५ मी.मी. ४ के.जी. प्रेशर	पीस	१५२२	१५५०	१५५०
१६२.०३	४"Ø को सकेट	पीस	३१५	३२०	३२०
१६२.०४	४"Ø को हर्न बेण्ड	पीस	७३५	७८०	७८०
१६२.०५	४"Ø को बेण्ड	पीस	४२०	४३०	४३०
१६२.०६	४"Ø को टी	पीस	५७७	५९०	५९०
१६२.०७	३"Ø को सकेट	पीस	२१०	२१०	२१०
१६२.०८	३"Ø को बेण्ड	पीस	३१५	३३०	३३०
१६२.०९	३"Ø को टी	पीस	३६७	३८०	३८०
१६३	एच.डी.पि.डि. फिटिंग				
१६३.०१	४"Ø को सकेट	पीस	२१०	२१०	२१०
१६३.०२	४"Ø को हर्न बेण्ड	पीस	४२०	४२०	४२०
१६३.०३	४"Ø को बेण्ड	पीस	३६७	३६७	३६७
	रंगरोगनका सामग्री				
१६४	खाकसी	गोटा	२६	२७	२७
१६५	गुद	के.जी.	२२०	२३०	२३०
१६६	सरेस	के.जी.	२१०	२१९	२१९
१६७	आक्यालिक डिस्टेरम्पर	के.जी.	१९९	२०७	२०७
१६८	बासेबल डिस्टेरम्पर	के.जी.	२६४	२७५	२७५
१६९	सिमेण्ट प्राइमर Internal	लिटर	४१३	४३०	३९०
१७०	तयारी इनामेल पेन्ट	लिटर	६३०	६५८	७००
१७१	इनामेल प्राइमर (काठ)	लिटर	४१५	४३०	४३०
१७२	इनामेल प्राइमर (फलाम)	लिटर	३६९	३८०	३८०
१७३	प्लाष्टिक इमोल्लान पेन्ट (एक्स्ट्रियर) राम्रो	लिटर	११०२	११५०	१०५०
१७४	प्लाष्टिक इमोल्लान पेन्ट (एक्स्ट्रियर) मध्यम	लिटर	८९२	९३०	८५०
१७५	प्लाष्टिक इमोल्लान पेन्ट (इन्ट्रियर) राम्रो	लिटर	१०५०	१०९७	१०९७
१७६	प्लाष्टिक इमोल्लान पेन्ट (इन्ट्रियर) मध्यम	लिटर	८१९	८५०	८५०
१७७	तयारी अल्मुनिम पेन्ट	लिटर	६३०	६५८	६५८
१७८	वार्निश क्लियर	लिटर	३९९	४१५	४१५
१७९	अलकत्रा पेन्ट (Black Japan)	लिटर	३१५	३३०	३३०
१८०	तारपिन तेल	लिटर	१९३	२००	२००
१८१	चुना	के.जी.	२३	२४	२४
१८२	गेरु रंग	के.जी.	५७	५९	५९
१८३	लिन्सीड आयल	लिटर	२१०	२२०	२२०
१८४	चप्रा	के.जी.	७३५	७६०	७६०

१८५	स्त्रीट	लिटर	१६८	१७५	१७५
१८६	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	८०	८३	८३
१८७	वेदर कोट पेन्ट (राम्रो) NS/ IS	लिटर	१२६०	१३१५	१२६०
१८८	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	८९२	९३२	८९२
१८९	वेदर कोट प्राइमर outer	लिटर	३९२	४०९	४००
१९०	वाटर प्रुफिंग कम्पाउण्ड (जापनिज)	के.जी.	३३०	३४४	३४४
१९१	Wall Putty- Inner	के.जी.	४०	४१	४०
१९२	Wall Putty- Water Proof (Outer)	के.जी.	६०	६२	६५
१९३	Plaster of paris (POP)	के.जी.			२५
	कंक्रीट प्रोडक्टस्				
१९४	ह्युम पाईप (ढुवानी बाहेक)				
१९४.०१	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१०८१५	१०९२०	१०९२०
१९४.०२	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	१३५४५	१३६८०	१३६८०
१९४.०३	४५० Ø को एनपी-३ को कोलार	गोटा	१३५४	१३६७	१३६७
१९४.०४	६०० Ø को एनपी-३ को (२.५मीटर)	गोटा	१८४८०	१८६६०	१८६६०
१९४.०५	६०० Ø को एनपी-३ को कोलार	गोटा	१८४८	१८६०	१८६०
१९४.०६	९०० Ø को एनपी-३ को (२.५मीटर)	गोटा	३०३४५	३०६४०	३०६४०
१९४.०७	९०० Ø को एनपी-३ को कोलार	गोटा	३०३४	३०६४	३०६४
१९४.०८	१२०० Ø को एनपी-३ को (२.५मीटर)	गोटा	४१८९५	४२३१०	४२३१०
१९४.०९	१२०० Ø को एनपी-३ को कोलार	गोटा	४१८९	४२३०	४२३०
१९४.१०	१०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२३१०	२३३०	२३३०
१९४.११	१०० Ø को एनपी-२ को कोलार	गोटा	२३१	२३३	२३३
१९४.१२	१५० Ø को एनपी-२ को (२.५मीटर)	गोटा	२५९८	२६२०	२६२०
१९४.१३	१५० Ø को एनपी-२ को कोलार	गोटा	२५९	२६०	२६०
१९४.१४	२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	३४७५	३५००	३५००
१९४.१५	२०० Ø को एनपी-२ को कोलार	गोटा	३४७	३५०	३५०
१९४.१६	२२५ Ø को एनपी-२ को (२.५मीटर)	गोटा	४१६३	४२००	४२००
१९४.१७	२२५ Ø को एनपी-२ को कोलार	गोटा	४१६	४२०	४२०
१९४.१८	२५० Ø को एनपी-२ को (२.५मीटर)	गोटा	४६३५	४६८०	४६८०
१९४.१९	२५० Ø को एनपी-२ को कोलार	गोटा	४६३	४६५	४६५
१९४.२०	३०० Ø को एनपी-२ को (२.५मीटर)	गोटा	६५८३	६५८३	६५८३
१९४.२१	३०० Ø को एनपी-२ को कोलार	गोटा	६५८	६६०	६६०
१९४.२२	३५० Ø को एनपी-२ को (२.५मीटर)	गोटा	६७०९	६७७६	६७७६
१९४.२३	३५० Ø को एनपी-२ को कोलार	गोटा	६७०	६७५	६७५
१९४.२४	३७५ Ø को एनपी-२ को (२.५मीटर)	गोटा	६८१४	६८८०	६८८०
१९४.२५	३७५ Ø को एनपी-२ को कोलार	गोटा	६८१	६८५	६८५
१९४.२६	४०० Ø को एनपी-२ को (२.५मीटर)	गोटा	६९५१	७०००	७०००
१९४.२७	४०० Ø को एनपी-२ को कोलार	गोटा	६९५	७००	७००

१९४.२८	४५० Ø को एनपी-२ को (२.५मीटर)	गोटा	८५२६	८६००	८६००
१९४.२९	४५० Ø को एनपी-२ को कोलार	गोटा	८५२	८६०	८६०
१९४.३०	५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	९७३३	९८३०	९८३०
१९४.३१	५०० Ø को एनपी-२ को कोलार	गोटा	९७३	९८०	९८०
१९४.३२	६०० Ø को एनपी-२ को (२.५मीटर)	गोटा	११९५४	१२०००	१२०००
१९४.३३	६०० Ø को एनपी-२ को कोलार	गोटा	११९५	१२००	१२००
१९४.३४	७०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१२९५७	१३०००	१३०००
१९४.३५	७०० Ø को एनपी-२ को कोलार	गोटा	१२९५	१३००	१३००
१९४.३६	७५० Ø को एनपी-२ को (२.५मीटर)	गोटा	१३८८१	१४०००	१४०००
१९४.३७	७५० Ø को एनपी-२ को कोलार	गोटा	१३८८	१४००	१४००
१९४.३८	८०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१६२०१	१६३००	१६३००
१९४.३९	८०० Ø को एनपी-२ को कोलार	गोटा	१६२०	१६३०	१६३०
१९४.४०	९०० Ø को एनपी-२ को (२.५मीटर)	गोटा	१७४९८	१७६७०	१७६७०
१९४.४१	९०० Ø को एनपी-२ को कोलार	गोटा	१७४९	१७६०	१७६०
१९४.४२	१००० Ø को एनपी-२ को (२.५मीटर)	गोटा	२१९२४	२२१४०	२२१४०
१९४.४३	१००० Ø को एनपी-२ को कोलार	गोटा	२१९२	२२१०	२२१०
१९४.४४	१२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	२८९४८	२९२३०	२९२३०
१९४.४५	१२०० Ø को एनपी-२ को कोलार	गोटा	२८९४	२९२०	२९२०
१९४.४६	१५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	३९३५४	३९७४०	३९७४०
१९४.४७	१५०० Ø को एनपी-२ को कोलार	गोटा	३९३५	३९७५	३९७५
१९४.४८	50 mm thick Cement Concrete Block - Interlocking	ब.फि.	९०	९०	९०
१९४.४९	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	९५	९५	९५
१९४.५०	60 mm thick Cement Concrete Block - Interlocking	ब.फि.	१०५	१०५	१०५
१९४.५१	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	११०	११०	११०
१९४.५२	AAC Block(600x200x100mm)	गोटा		१७९.३५	१७९.३५
१९४.५३	AAC Block(600x200x150mm)	गोटा		२६९.०४	२६९.०४
१९४.५४	AAC Block(600x200x200mm)	गोटा		३५८.६५	३५८.६५
१९४.५५	Aerolite AAC Block (Size 600x200x100mm)	गोटा		१५६	१५६
१९४.५६	Aerolite AAC Block (Size 600x200x150mm)	गोटा		२३४	२३४
१९४.५७	Aerolite AAC Block (Size 600x200x200mm)	गोटा		३१२	३१२
१९५	Interlock Paver, Kerb Stone, Concrete Tile				
१९५.०१	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	३८	३८	३८

१९५.०२	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४४	४४	४४
१९५.०३	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा	४७	४७	४७
१९५.०४	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	४४	४६	४७
१९५.०५	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	५०	५३	५५
१९५.०६	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा	५२	५५	५७
१९५.०७	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा		६५	६६
१९५.०८	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा		७०	७१
१९५.०९	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा		७५	७६
१९५.१०	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा		७४	७६
१९५.११	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा		८१	८३
१९५.१२	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा		८४	८५
१९५.१३	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा		४३	४३
१९५.१४	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा		४९	४९

१९५.१५	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा		५३	५४
१९५.१६	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा		८८	८८
१९५.१७	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा		९६	९६
१९५.१८	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा		९९	१००
१९५.१९	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२५	२५
१९५.२०	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२६	२६
१९५.२१	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२२	२२
१९५.२२	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा		२३	२३
१९५.२३	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा		५३	५३
१९५.२४	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा		६१	६१
१९५.२५	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा		६४	६५
१९५.२६	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा		६८	६९

୧୯୫.୨୭	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	ଗୋଟା		୭୫	୭୬
୧୯୫.୨୮	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	ଗୋଟା		୭୮	୭୯
୧୯୫.୨୯	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	ଗୋଟା		୬୮	୬୯
୧୯୫.୩୦	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	ଗୋଟା		୮୩	୮୪
୧୯୫.୩୧	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	ଗୋଟା		୮୮	୯୦
୧୯୫.୩୨	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	ଗୋଟା		୮୪	୮୪
୧୯୫.୩୩	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	ଗୋଟା		୯୯	୯୯
୧୯୫.୩୪	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	ଗୋଟା		୧୦୪	୧୦୫
୧୯୫.୩୫	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	ଗୋଟା	୩୮୮	୪୦୦	୪୦୫
୧୯୫.୩୬	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	ଗୋଟା	୪୧୮	୪୫୦	୪୫୫
୧୯୫.୩୭	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	ଗୋଟା	୪୩୮	୪୭୫	୪୮୦
୧୯୫.୩୮	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	ଗୋଟା		୪୨୫	୪୩୦
୧୯୫.୩୯	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	ଗୋଟା		୪୪୫	୪୫୦

१९५.४०	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा		४८०	४८५
१९५.४१	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा		५०५	५११
१९५.४२	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट		६६०	६७०
१९५.४३	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour,water absorption <6%.	गोटा	२२०	२३०	२३५
१९५.४४	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२४२	२६०	२६५
१९५.४५	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	२६९	२८०	२८५
१९६	सडक सम्बन्धि Pre-stressing Accessories				
१९६.०१	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	१७२	१७२	१७२
१९६.०२	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	७२०००	७२०००	७२०००
१९६.०३	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	३८०	३८०	३८०
१९६.०४	Strip Seal Expansion Joints	मि.	१६०००	१६०००	१६०००
१९६.०५	Slab Seal Expansion Joints	मि.	२८०००	२८०००	२८०००
१९६.०६	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	१५००००	१५००००	१५००००
१९६.०७	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	१३००००	१३००००	१३००००
१९६.०८	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	११५०००	११५०००	११५०००
१९६.०९	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	४००००	४००००	४००००
१९६.१०	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	३००००	३००००	३००००
१९६.११	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	२८०००	२८०००	२८०००
१९६.१२	Drainage spout 100mm dia GI Pipe	गोटा	४०००	४०००	४०००
१९७	HDPE DOUBLE WALLED Corrugated Pipes-SN8 (Non Pressure) 6m in length				
१९७.०१	ID=100mm	मि.	४५०	४८०	५००

१९७.०२	ID=150mm	मि.	९५०	१०१६	१०६६
१९७.०३	ID=200mm	मि.	१४५०	१५५०	१६२५
१९७.०४	ID=250mm	मि.	१९००	२०३०	२१००
१९७.०५	ID=300mm	मि.	३१००	३३१५	३४५०
१९७.०६	ID=400mm	मि.	४०००	४२००	४४००
१९७.०७	ID=500mm	मि.	४९००	५२००	५४५०
१९७.०८	ID=600mm	मि.	८३००	८८८०	९३२०
१९७.०९	ID=800mm	मि.	१२३००	१३१६०	१३८१०
१९७.१०	ID=1000mm	मि.	१७२००	१८४००	१९५००
१९८	कंक्रीट बिद्युत पोल (ढुवानी बाहेक)				
१९८.०१	८ मिटर लामो	गोटा	६१००	६३००	६३००
१९८.०२	९ मिटर लामो	गोटा	७०००	७२३८	७२३८
१९८.०३	१० मिटर लामो	गोटा	१३२००	१३६४८	१३६४८
१९८.०४	११ मिटर लामो	गोटा	१५२००	१५७१३	१५७१३
१९९	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
१९९.०१	८ मिटर लामो (१२० के.जी.)	गोटा	११५००	११८९१	११८९१
१९९.०२	९ मिटर लामो (१४७ के.जी.)	गोटा	१६३००	१६८५५	१६८५५
१९९.०३	११ मिटर लामो (१७५ के.जी.)	गोटा	२००००	२०६८०	२०६८०
२००	एस सी एस आर कण्डक्टर				
२००.०१	ACSR Dog Conductor	कि.मी.	९५३००	AS PER NEA Rate	
२००.०२	ACSR Rabbit Conductor	कि.मी.	४९०००	AS PER NEA Rate	
२००.०३	ACSR Weasel Conductor	कि.मी.	२९४००	AS PER NEA Rate	
२०१	Insulator				
२०१.०१	11 kV Pin Insulator with Spindle	सेट	२२०	९५०	९५०
२०१.०२	11 kV Disc Insulator with tension Clamp	सेट	९००	१८००	१८००
२०१.०३	D-Iron with Sackle	सेट	२००	२५०	२५०
२०२	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
२०२.०१	६ फिट लामो ३X४ इन्चीको	गोटा	६३०	६३०	६३०
२०२.०२	७ फिट लामो ३X४ इन्चीको	गोटा	८६१	८६१	८६१
२०२.०३	६ फिट लामो ४X४ इन्चीको	गोटा	८५०	८५०	८५०
२०२.०४	७ फिट लामो ४X४ इन्चीको	गोटा	९९७	९९७	९९७
२०२.०५	८ फिट लामो ४X४ इन्चीको	गोटा	१३१२	१३१२	१३१२
२०२.०६	१.५ मि. लामो ६X६ इन्चीको	गोटा	२३१०	२३१०	२३१०
२०२.०७	१ मि. लामो ६X६ इन्चीको	गोटा	१५७५	१५७५	१५७५
२०३	कंक्रीट रिड (३' ब्यास, १' उचाइ र २" मोटो)	गोटा	८२९	८२९	८२९
२०४	कंक्रीट रिड कवर (३' ब्यास र २" मोटाइ)	गोटा	८२९	८२९	८२९

२०५	कंकीट आर.सी.सी. रेलिङ पोष्ट १ फुट	गोटा	७८	७८	७८
२०६	कंकीट आर.सी.सी. रेलिङ पोष्ट २ फुट	गोटा	११५	११५	११५
२०७	कंकीट आर.सी.सी. रेलिङ पोष्ट ३ फुट	गोटा	१५७	१५७	१५७
	मेशीनरी				
२०८	पम्पसेट तथा र्यामर				
२०८.०१	□ हर्ष पावरको चाईनिज	गोटा	४४१०	४५२०	४५२०
२०८.०२	१ ” ”	गोटा	७८७५	८०००	८०००
२०८.०३	२ ” ”	गोटा	१८९००	१९३००	१९३००
२०८.०४	३ ” ”	गोटा	३१५००	३२२९०	३२२९०
२०८.०५	□ हर्ष पावरको भारती (ISI)	गोटा	९४५०	९६८५	९६८५
२०८.०६	१ ” ” (ISI)	गोटा	१६८००	१७२२०	१७२२०
२०८.०७	२ ” ” (ISI)	गोटा	२६२५०	२६९००	२६९००
२०८.०८	३ ” ” (ISI)	गोटा	४२०००	४३०००	४३०००
२०९	इण्डियन सबमरसिबल पम्प (स्टेन्डर्ड कम्पनि)				
२०९.०१	२ हर्ष पावर	गोटा	४९६१२	५१३४५	५१३४५
२०९.०२	३ हर्ष पावर	गोटा	६०६३७	६२७६०	६२७६०
२०९.०३	५ हर्ष पावर	गोटा	६८३५५	७०७४५	७०७४५
२०९.०४	७.५ हर्ष पावर	गोटा	१२६७८७	१३१२२४	१३१२२४
२०९.०५	१० हर्ष पावर	गोटा	१७६४००	१८२५७४	१८२५७४
२०९.०६	१२.५ हर्ष पावर	गोटा		२१५०००	२१५०००
२०९.०७	१५ हर्ष पावर	गोटा		२२१०००	२२१०००
२०९.०८	१७ हर्ष पावरको	गोटा		२३७०००	२३७०००
२०९.०९	20 Hp Submersible Pump Sets	गोटा		२६४०००	२६४०००
२०९.१०	25 Hp Submersible Pump Sets	गोटा		२९७५००	२९७५००
२०९.११	30 Hp Submersible Pump Sets	गोटा		३५६०००	३५६०००
२०९.१२	35 Hp Submersible Pump Sets	गोटा		४२५०००	४२५०००
२१०	डिजेल पम्पसेट				
२१०.०१	५ हर्ष पावरको (ISI)	गोटा	५२५००	५४०००	५४०००
२१०.०२	८ हर्ष पावरको (ISI)	गोटा	८४०००	८६०००	८६०००
२११	वाटर मीटर	गोटा	१७३२	१७८५	१७८५
	वायरिङ तथा वायरिङका सामान				
२१२	स्तरीय सामान र पि.भि.सी.पाइप प्रयोग गरी सर्फेसवायरिङ गर्ने काम राम्रो मेटल बक्स, स्वीच, सिलिङ. रोज आदि वायरिङ. सामान समेत प्रयोग गरी वायरिङ को काम				
२१२.०१	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	९६५	९८९	१००८

२१२.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	१३७०	१४०४	१४३२
२१२.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	११००	११२७	११४९
२१३	स्तरिय सामान र पि.भी.सी. पाइप प्रयोग गरी कन्सील्ड वायरिङ्ग गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ्ग रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
२१३.०१	क ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	११४०	११६२	११८५
२१३.०२	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	१२३०	१२५४	१२७९
२१३.०३	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ्ग गर्ने काम ।	प्वाइन्ट	९५०	९६९	९८८
२१४	पंखा				
	सिलिङ. पंखा उषा,ओरिएन्ट,कम्पटन ग्रिप्स वा सो सरह				
२१४.०१	३६ इन्च	गोटा	३२५५	३२५५	३२००
२१४.०२	४२ इन्च	गोटा	३४६५	३४६५	३४००
२१४.०३	४८ इन्च	गोटा	३६७५	३६७५	३६००
२१४.०४	ISI वा NS गुणस्तरको एम्बेस्ट फैन १२ इन्च	गोटा	३६७५	३६७५	३६००
२१४.०५	चाईनिज स्टेण्ड फैन	गोटा	३४६५	३४६५	३४००
२१४.०६	इण्डियन स्टेण्ड फैन	गोटा	३९९०	३९९०	३९५०
२१४.०७	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	४७२५	४७२५	४७२५
२१४.०८	बाल फैन चाईनिज	गोटा	३१५०	३१५०	३१००
२१५	डोम लाइट				
२१५.०१	८ इन्च	गोटा	५१९	५१९	५१९
२१५.०२	६ इन्च	गोटा	४०४	४०४	४०४
२१६	3W Round/square recess conceal	गोटा			३२५
२१७	6W Round/square recess conceal	गोटा			४५०
२१८	12W Round/square recess conceal	गोटा			९५०
२१९	वेदरप्रुफ लाइट	गोटा	२१०	२१०	२१०
२२०	मेन स्वीच				
२२०.०१	६० एम्पियर	गोटा	४९३५	४९३५	४९३५
२२०.०२	३० ,,	गोटा	१९६३	१९६३	१९६३
२२०.०३	१५ ,,	गोटा	१४७०	१४७०	१४७०
२२१	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङ्गको लागि	मीटर	१३८	१३८	१३८
२२२	सर्भिस तार	मीटर	२६	२६	२६

२२३	मिटर बक्स				
२२३.०१	प्लाष्टिक	गोटा	२१०	२१०	२१०
२२३.०२	काठको	गोटा	३१५	३१५	३१५
२२४	काठको लिस्टी				
२२४.०१	□ " को	र.मी.	२६	२६	२६
२२४.०२	□ " को	र.मी.	३३	३३	३३
२२४.०३	१" को	र.मी.	३६	३६	३६
२२५	एम सि बि				
२२५.०१	६ एम्पियर एस.पी.	गोटा	२६७	२६७	२६७
२२५.०२	१५ एम्पियर एस.पी.	गोटा	३९३	३९३	३९३
२२५.०३	१५ एम्पियर डी.पी.	गोटा	६९३	६९३	६९३
२२५.०४	३० एम्पियर एस.पी.	गोटा	४६२	४६२	४६२
२२५.०५	३० एम्पियर डी.पी.	गोटा	१२६०	१२६०	१२६०
२२६	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	१०५००	१०५००	१०५००
	अन्य सामानहरु				
२२७	खर १५से.मी व्यासको मुठा	मुठा	४४	४४	४४
२२८	नरियलको डोरी	के.जी.	१३६	१३६	१३६
२२९	लाइन स्टिड्	र.मी.	८	८	८
२३०	जिओ-ब्याग(१.०५मि.×०.७ मि., ३५० ग्राम)	गोटा	३८३	३८३	३८३
२३१	नाइलन क्रेट ४.५ केजी (३×१.०५×१.०५) मि.	गोटा	२२०५	२२०५	२२०५
२३२	चटाई ३×६ फिटको	गोटा	१४४	१४४	१४४
२३३	भुसा	के.जी.	४	४	४
२३४	गोवर	के.जी.	५	५	५
२३५	खाली बोरा				
२३५.०१	सिमेन्टको खाली बोरा (पुरानो)	गोटा	१२	१२	१२
२३५.०२	सिमेन्टको खाली बोरा (नयाँ)	गोटा	२४	२४	२४
२३५.०३	जूटको खाली बोरा	गोटा	११०	११०	११०
२३६	हेशन जूट	व.मी.	२१०	२१०	२१०
२३७	नाइलन डोरी	के.जी.	२३२	२३२	२३२
२३८	मोबिल (लुब्रिकेन्ट)	लीटर	६८२	६८२	६८२
२३९	गियर आयल	लीटर	६८२	६८२	६८२
२४०	ग्रिज	के.जी	६८२	६८२	६८२
२४१	माछाका भुरा				
२४१.०१	सानो	गोटा	०.५२	०.५२	०.५२
२४१.०२	माछाका भुरा ठूलो	गोटा	१.४१	१.४१	१.४१
२४२	ढुटो	के.जी.	२०	२०	२०
२४३	पिना	के.जी.	२१	२१	२१

२४४	दाउरा	के.जी.	१६	१६	१६
२४५	चिरपट	के.जी.	१६	१६	१६
२४६	फलामे बाल्टी	गोटा	५३७	५३७	५३७
२४७	बांसको डोको	गोटा	२३१	२३१	२३१
२४८	पोलिथिन शीट ५०० गेज	के.जी.	२२०	२२०	२२०
२४९	टारफेल्ट शीट १×२० मिमी.	के.जी.	१४१	१४१	१४१
२५०	कंकीट एडमिक्चर (सेफक्रीट, सेफबर्न, सेफमाइट आदि)	लीटर	३१५	३१५	३१५
२५१	सिलिका एडमिक्चर	के.जी.	३६७	३६७	३६७
२५२	स्टोभ	गोटा	१०५०	१०५०	१०५०
	बायोइन्जिनियरिङ्गका सामान तथा पशुचौपाया सम्बन्धि				
२५३	बिरुवाहरु				
२५३.०१	अम्लिसो	राईजोम	५.५१	५.५१	५.५१
२५३.०२	नेपियर CO4 जरासहित	सेट	३.३	३.३	३.३
२५३.०३	कास	स्लिप	१.१	१.१	१.१
२५४	बास विरुवा विउवाट उत्पादन				
२५४.०१	१ वर्षे विरुवा	गोटा	५५.१२	५५.१२	५५.१२
२५४.०२	२ वर्षे विरुवा	गोटा	८२.६८	८२.६८	८२.६८
२५४.०३	३ वर्षे विरुवा	गोटा	१६५.३७	१६५.३७	१६५.३७
२५५	बास राईजोम	राईजोम	४९६.१२	४९६.१२	४९६.१२
२५६	बास विरुवा कटिड.				
२५६.०१	१ वर्षे विरुवा	गोटा	२७५.६२	२७५.६२	२७५.६२
२५६.०२	२ वर्षे विरुवा	गोटा	३३०.७५	३३०.७५	३३०.७५
२५६.०३	३ वर्षे विरुवा	गोटा	३८५.८७	३८५.८७	३८५.८७
२५६.०४	निगालो	गोटा	१६.५३	१६.५३	१६.५३
२५६.०५	डालेघास	गोटा	१७.६४	१७.६४	१७.६४
२५७	हिउँदे तथा बर्षे घाँसको विउ				
२५७.०१	जै	कि.ग्रा.	८८.२०	८८.२०	८८.२०
२५७.०२	बर्षिम	कि.ग्रा.	३३०.७५	३३०.७५	३३०.७५
२५७.०३	भेच	कि.ग्रा.	१३२.३०	१३२.३०	१३२.३०
२५७.०४	टियोसेन्टी	कि.ग्रा.	११०.२५	११०.२५	११०.२५
२५७.०५	बाजरा	कि.ग्रा.	१०४.७३	१०४.७३	१०४.७३
२५७.०६	सुडान	कि.ग्रा.	११०.२५	११०.२५	११०.२५
२५८	बहुवर्षे तथा डालेघाँसको विरुवा				
२५८.०१	नेपियर CO4 जरासहित	स्लीप	३.३	३.३	३.३
२५८.०२	नेपियर CO4	स्लीप	२.२	२.२	२.२
२५८.०३	नेपियर (अन्य) जरासहित	स्लीप	२.२	२.२	२.२
२५८.०४	नेपियर (अन्य)	स्लीप	१.६८	१.६८	१.६८

२५८.०५	मुलाटो, पास्पलम, सेटेरिया, बदामे	गोटा	२.२	२.२	२.२
२५८.०६	डाले घाँसको बेनी (बडहर)	गोटा	१७.६४	१७.६४	१७.६४
२५८.०७	डाले घाँसको बेनी (अन्य जात)	गोटा	१६.५३	१६.५३	१६.५३
२५९	प्रजननकालागि पालिने बोका बाख्रा				
२५९.०१	बाख्रा खरी जातको	कि.ग्रा.	३८५	३८५	३८५
२५९.०२	बोका खरी जातको	कि.ग्रा.	५५१	५५१	५५१
२५९.०३	बोका जमुना पारी, बारबेरी	कि.ग्रा.	५५१	५५१	५५१
२५९.०४	बोका बोयर जातको	कि.ग्रा.	८८२	८८२	८८२
२६०	उन्नत जातको बगुरको पाठापाठी				
२६०.०१	पाठी (न्यूनतम ४५ दिन)	गोटा	५५१२	५५१२	५५१२
२६०.०२	पाठा (न्यूनतम ४५ दिन)	गोटा	६०६३	६०६३	६०६३
२६०.०३	बगुरको बीर (९० दिन)	गोटा	७७१७	७७१७	७७१७
२६१	प्रजननकालागि पालिने रागो तथा साढे				
२६१.०१	प्रजनन योग्य रागो मुरा जातको	गोटा	११०२५०	११०२५०	११०२५०
२६१.०२	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	११०२५०	११०२५०	११०२५०
२६१.०३	प्रजनन योग्य साँढे जर्सी जातको	गोटा	८८२००	८८२००	८८२००
२६२	Steel Door and Window				
२६२.०१	900*2100 Steel Door set with frame 50 T Thickness	सेट	२१०००	२१६३०	२१६३०
२६२.०२	1000*2100 Steel Door set with frame 50 T Thickness	सेट	२२०००	२२६६०	२२६६०
२६२.०३	900*2100 ABS Door set with frame 50 T Thickness	सेट	१८०००	१८५४०	१८५४०
२६२.०४	900*2100 Panel Door set with frame 50 T Thickness	सेट	१४०००	१४४२०	१४४२०
२६२.०५	115mm Window set with frame 50 T Thickness	सेट	८७५	९००	९००
२६३	Flush Door				
२६३.०१	Glossy	व.फु.	२७५	२७५	२७५
२६३.०२	Maat	व.फु.	२६०	२६०	२६०
२६४	Non Asbestos Sheet				
२६४.०१	1050mm overall width,6mm thickness-Normal	र.मी.	५७५	५७५	५७५
२६४.०२	1050mm overall width,6mm thickness-Coloured	र.मी.	६७५	६७५	६७५
२६४.०३	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso incliding 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				

	75mm thick	ब.फु.		३१५	३१५
	50mm thick	ब.फु.		२५०	२५०
२६३	Interior and Finishing Materials				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	४०००	४०००	४०००
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	३०००	३०००	३०००
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१४००	१४००	१४००
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	१३००	१३००	१३००
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm	२७००	२७००	२७००
C	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm	१५०००	१५३००	१५३००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs	२८००	२८००	२८००
	150X300 Tile	Pcs	३५००	३५००	३५००
	300X300 Tile	Pcs	४०००	४०००	४०००
D	Ceiling Work				

1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm	२५०००	२५०००	२५०००
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm	४५०००	४५०००	४५०००
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm	१०००००	१०००००	१०००००
२६४	Concrete Admixture, Water Proofing Sytstem Integral				
२६४.०१	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg	१३००	१३००	१३००
२६४.०२	Protective polyerethane sealer Fosroc Promeseal	Ltr	८००	८००	८००
२६४.०३	High Performance water repellant Paint	Ltr	११००	११००	११००
२६४.०४	Concrete curing aid- Fosroc Concure WB	Kg	४५०	४५०	४५०
२६४.०५	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg	३२०	३२०	३२०
२६५.००	PVC -O pipe				
265.10	Class 500 PVC -O pipe -PN 12.5				
	90mm	र.मि		७३०	७३०

	110mm	र.मि		११५०	११५०
	125mm	र.मि		१४५०	१४५०
	140mm	र.मि		१७५०	१७५०
	160mm	र.मि		२२००	२२००
	200mm	र.मि		३५००	३५००
	225mm	र.मि		४४००	४४००
	250mm	र.मि		५२००	५२००
	315mm	र.मि		८५००	८५००
	355mm	र.मि		१०८००	१०८००
	400mm	र.मि		१४०००	१४०००
	450mm	र.मि		१९०००	१९०००
	500mm	र.मि		२२७००	२२७००
	630mm	र.मि		३६०००	३६०००
	800mm	र.मि		५८०००	५८०००
	1000mm	र.मि		११००००	११००००
	1200mm	र.मि		१५००००	१५००००
265.20	Class 500 PVC -O pipe -PN 16				
	90mm	र.मि		८५४	८५४
	110mm	र.मि		१२६०	१२६०
	125mm	र.मि		१५५०	१५५०
	140mm	र.मि		१९५०	१९५०
	160mm	र.मि		२६००	२६००
	200mm	र.मि		४०००	४०००
	225mm	र.मि		४९५०	४९५०
	250mm	र.मि		६३००	६३००
	315mm	र.मि		९६००	९६००
	355mm	र.मि		१२७००	१२७००
	400mm	र.मि		१६०००	१६०००
	450mm	र.मि		२२५००	२२५००
	500mm	र.मि		२७५००	२७५००
	630mm	र.मि		४६५००	४६५००
	800mm	र.मि		७५०००	७५०००
	1000mm	र.मि		१२००००	१२००००
	1200mm	र.मि		१७५०००	१७५०००
265.30	Class 500 PVC -O pipe -PN 25				
	90mm	र.मि		१७००	१७००
	110mm	र.मि		२५००	२५००
	125mm	र.मि		२७००	२७००
	140mm	र.मि		३१००	३१००

	160mm	र.मि		३८००	३८००
	200mm	र.मि		५५००	५५००
	225mm	र.मि		६७००	६७००
	250mm	र.मि		८५००	८५००
	315mm	र.मि		१३०००	१३०००
	355mm	र.मि		१६०००	१६०००
	400mm	र.मि		२०५००	२०५००
	450mm	र.मि		३००००	३००००
	500mm	र.मि		३८०००	३८०००
	630mm	र.मि		५७०००	५७०००
२६६.००	PVC -O pipe Fittings				
266.10	ELBOW 11.25 degree(PN-16)				
	११०	गोटा		७३७६	७३७६
	१६०	गोटा		१६०२२	१६०२२
	२००	गोटा		२९४२९	२९४२९
	२५०	गोटा		४४८११	४४८११
	३१५	गोटा		८५८९५	८५८९५
	४००	गोटा		१६०३३३	१६०३३३
266.20	ELBOW 22.5 degree(PN-16)				
	११०	गोटा		७६७१	७६७१
	१६०	गोटा		१६९१३	१६९१३
	२००	गोटा		३०६०६	३०६०६
	२५०	गोटा		४६६०४	४६६०४
	३१५	गोटा		८९३३१	८९३३१
	४००	गोटा		१६६७४६	१६६७४६
266.30	ELBOW 45 degree(PN-16)				
	११०	गोटा		८४८५	८४८५
	१६०	गोटा		१८५७०	१८५७०
	२००	गोटा		३३६५८	३३६५८
	२५०	गोटा		५५२०४	५५२०४
	३१५	गोटा		९७९५०	९७९५०
	४००	गोटा		१८९७४४	१८९७४४
266.40	ELBOW 90 degree(PN-16)				
	११०	गोटा		१२०५०	१२०५०
	१६०	गोटा		२४१४३	२४१४३
	२००	गोटा		४३४१७	४३४१७
	२५०	गोटा		७२३१८	७२३१८
	३१५	गोटा		११२६४०	११२६४०
	४००	गोटा		२२५७९७	२२५७९७

266.50	Coupler (PN -16)				
	११०	गोटा		७३५९	७३५९
	१६०	गोटा		१३१२३	१३१२३
	२००	गोटा		१८९६८	१८९६८
	२५०	गोटा		३५५०२	३५५०२
	३१५	गोटा		६७२९६	६७२९६
	४००	गोटा		१४९१५८	१४९१५८

माथि उल्लेखित आईटम हरु भन्दा थप आइटमहरु आवश्यक परेमा बजार बाट तिन ओटा दररेट माग गरी सो मध्यबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ७९/८० को दररेट	आ. ब. ०८०/८१ को दररेट
१.००	WINDOWS – 2 Pannel Sliding,	100 Series	Sqm	8000	8000
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
२.००	WINDOWS – 2 Pannel Sliding, with Fix Ventilation	100 Series	Sqm	8050	8050
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			

		76.2 x 28 x 1.0			
₹.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8715	8715
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
		76.2 x 28 x 1.0			
₹.00	WINDOWS – 2 Pannel Sliding,	100 Series	Sqm	8231.4	8231.4
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
₹.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8918	8918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			

₹.00	WINDOWS – 3 Pannel Sliding with FIX Ventilation	100 Series	Sqm	10168	10168
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
₹.00	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7263	7263
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
₹.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
₹.00	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				

	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	Frame – 87 x 40 x 1.5			
	(5mm clear/ Colour Glass)	87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
90.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	10222	10222
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
99.00	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	8688.70	8688.70
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
92.00	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	9200	9200
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			

	Aluminium Windows Including, Auto Lock, Roller, Brush , S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
१३.००	DOORS – Hinge Fabrication	100 Series	Sqm	8339	8339
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.0			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१४.००	DOORS – Hinge Fabrication	100 Series	Sqm	9684	9684
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
१५.००	DOORS – Hinge Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.5			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
		48 x 45 x 1.0			
१६.००	DOORS – Floor Fabrication	100 Series	Sqm	12374	12374
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				

	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
	FLOOR SPRING – openabale with both side	48 x 45 x 1.0			
१७.००	DOORS – SLIDING Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	Frame – 101 x 45 x 1.2			
	Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc	Palla - 64 x 28 x 1.2			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	50 x 28 x 1.2			
१८.००	VENTILATION – Fixed Fabrication/LOUVER	Frame - 101*45*1.2	Sqm	6550	6550
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
१९.००	VENTILATION – Fixed Fabrication/LOUVER	Frame - 63.3*37*1.0	Sqm	5918	5918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
२०.००	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101*45*1.2	Sqm	6994	6994
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२१.००	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 63.3*37*1.0	Sqm	5918	5918
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
२२.००	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2”/1”/1”/1” with support 1.5” steel pipe	r.ft	1080	1080

२३.००	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	900	900
२४.००	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)) ROUND S S PIPES	2"/1"/" with support 1.5" steel pipe	r.ft	735	735
२५.००	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5" with support 1.5" steel pipe	Sq.ft	577	577
२६.००	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modulur Rack and all kinds of Steel Furniture @kg		kg	493	493

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी)को क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	इकाई	आ.व. ७८/७९ को दररेट	आ.व. ७९/८० को दररेट	आ.व. ८०/८१ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	२९३०	३०१७	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२८३५	२९२०	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२७४१	२८००	२८००
ए.	२१३	११.८	५५	१२१.०	"	२६४४	२७२३	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२५४५	२६२१	२६२१
जम्मा	११४६	६२.५						
बि.	१९६	११.०	६१	९०.५	"	२१५२	२२००	२२००
बि.	१८४	१०.५	५९	९०.५	"	२०७८	२१४०	२१४०
बि.	१७०	१०.०	५७	९०.५	"	१९९५	२०५४	२०५४
बि.	१६०	९.५	५५	९०.५	"	१९३२	१९८९	१९८९
बि.	१४८	९.०	५३	९०.५	"	१८५९	१९१४	१९१४
जम्मा	८५८	५०.०						
सी.	१४८	९.०	५३	९०.५	"	१९३५	१९९३	१९९३
सी.	१३६	८.५	५१	९०.५	"	१८७२	१९२८	१९२८
सी.	१२४	८.०	४९	९०.५	"	१७४८	१८००	१८००
सी.	११२	७.५	४७	९०.५	"	१६६७	१७००	१७००
सी.	७५	६.०	३८	९०.५	"	१३७१	१४१२	१४१२
जम्मा	५९५	३९.०						

आ.व. ८०/०८१ को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	२०	१८	१६	१५.	
ख	१३.	१२.	१०.५	९.५	
ग	११.	१०.	८.	६.	
घ	१०.	८.	६.	५.	

क्षेत्रको बिबरण

क	वडा नं. १ सिटी बसपार्क देखि बसपार्क सम्म (खक्रौला सडक)संग जोडीएका घरहरु
ख	वडा नं. १ (क) मा उल्लेखित क्षेत्र भन्दा १कि.मि. सम्म भित्रि भागमा रहेका घरहरु
ग	वडा नं. १ (क) र (ख) मा उल्लेखित क्षेत्र भन्दाबाहेकका भागमा रहेका घरहरु
घ	माथि उल्लेखित बाहेकका वडा नं. २ देखि ९ को क्षेत्रहरुमा रहेका घरहरु

घरको किसिमको बिबरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा इन्धन बाहेक प्रति दिन	३०००	Without AC
	४५००	With AC

१४.१० बिभिन्न साईजका मेशीन मेड गेवियन जालीहरुको आ.ब. २०८०/८१ को जिल्ला दररेट

Machine Made and mechanically selvaged Double twist
hexagonal mesh product

Specification	
Mesh Type	10x12
Wire mesh Dia	3.00 mm
Selvage wire dia	3.90 mm
Lacing Wire Dia	2.40 mm

Type of Coating			Heavy Zinc Coating
S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

जिल्ला प्रशासन कार्यालय कैलाली
विपद् सामग्रीहरुको जिल्ला दररेट आ.व. ०८०/०८१

क्र.सं.	विपद् सामग्रीको नाम		स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने					
1	Safety helmet	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	350	
2	Gaiti with wood handle	गैती	Medium size	थान	550	

3	Belcha with handle	सावेल	Medium size (Metal handle)	थान	450	
4	Axe with wooden handle	बन्चरो	Axe size 16*10 cm - (+3kg)	थान	550	
5	Two Hand Saw	आरा	Size : Big (5 Feet)	थान	1000	
6	Sabbal	गल	Size : Big	थान	1350	
7	Agricultural spade with handle	फरुवा	Regular size (metal handle)	थान	500	
8	Hammer with handle (Ghan)	घन	5 kg	थान	1500	
9	Aasi	आसी	Size : Big	थान	1500	
10	Hand wood cutter machine Chain Saw	काठ काटने मेसिन	Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	15000	
11	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन	2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	थान	25000	
12	bold cutter	आईरन रड कटर	Medium Size	थान	2500	
13	Knee Pad		घुडामा लगाउने	थान	250	
14	Head search light with battery	हेड लाईट	Halogen 55 W ABS LED Search Lights	थान	750	
15	Power torch light	पावर टर्च लाईट	Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	1500	
16	Come along machine		Capacity: not less than 4 ton	थान	6000	
17	Hydraulic Jack		Capacity: 20 ton	थान	4000	
18	plastic rope	नाईलन डोरी	10-20mm diameter , More than 100 metre	थान	2500	
19	Anti Dust Glass		UV protection, Liquid splash protection	थान	500	
20	Scene Tape (Barricade Tape)		100 meter Roll	थान	1000	
21	Mega Phone	मेगाफोन	Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	थान	4500	
22	Crow bar	क्रो बार	Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work	थान	1000	

			Forged with high carbon steel			
			Good for pulling nails & lifting			
23	Back board (Stretcher) Spinal board		Two handles at tapered end to allow more stable transport.Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency.Instahold Buoyant Backboard Stretcher / Spine Board	थान	4500	
24	Electric Cord		100 meter	थान	4000	
25	Tools box with tools			थान	3000	
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappling & clambing equipment)					
1	Sit Harness Belt	सिट हर्नेस बेल्ट	Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckilng system Laminasted, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front doble thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thing Size : 44cm to 85 cm Rated for: not less than 100kg Weight for standard Harness : not less than 1 kg	थान	4000	
2	Chest harness	चेस्ट हर्नेस	Fully adjustable with comfort padded waist belt thing strap and shoulder Strap 44 mm polyster webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handing Adjustable dorsal high strength forged D-ring , Min	थान	1500	

			Breaking Strength 25 kn Two lateral D- rings for work positioning, one sternal D- ring for fall arrest & one ventral D-ring for rescue Finished Webbing rnds with web holder Suitable for fall arrest, work positioning, descent & ascent & rescue service Special design & high resistant polyethylene back plate for holding D- ring even after the fall			
3	Static Rope		100 metre Roll , 12mm	थान	12000	
4	Dynamic Rope	डाईनामिक रोप	Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy o carry Great for survival , rescue camping	थान	15000	
5	Wire rope pulley	घिर्नी	Capacity: not less than 0.5 ton	थान	2000	
6	Safety helmet for Rappling & clambing	हेल्मेट	Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	800	
7	Carabiner	क्याराविना	Made up af alloy Steel, Head treated, Min. Breaking Load: not less than 4500 ibs/ 23kn, Net weight : not less than 100gm	थान	1200	
8	Figure 8 Carabiner		30 k.n	थान	2000	
9	Jumar for clambing		9 cm wide & 19 cm long weight - more than 200 gram	थान	2500	
10	Gri - Gri		More than 8 mm	थान	2500	
11	Prusik		GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	थान	500	
12	Tin box	टिन बक्स	6*4*4 feet (22 Gauze)	थान	12000	

13	First Aid box	फर्स्ट एड बक्स	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-dettol 150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, ointment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	थान	3000	
ग	बाढी तथा डुबानबाट हुने विपद् मा प्रयोग हुने					
1	Life Jacket	लाईफ ज्याकेट		थान	3000	
2	Throw bag		The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	1500	
3	Life bouy rescue tube	लाईफ व्वाय रेस्क्यु ट्युब	Size : 29*29*4	थान	3000	
4	Bora	कट्टा	30 kg	थान	25	
5	Gum boot for water		Size : Medium & Big	थान	1000	
6	Rain Coat		Size : Medium & Big	थान	2500	
7	Water Glasses		Liquid splash protection	थान	100	
8	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	850	
९	Water Rescue shoes			थान	1000	
10	Tripal		18*24 ft.	थान	1700	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने					
1	Fire extinguisher	अग्नी सामक यन्त्र	Type ABC Powder , more than 5 kg cylender	थान	4500	
2	Fire fighter shoot	फायर फाईटर सुट	Jacket , Paint & Helmet	थान	7000	
3	Stell Bucket	फलामे बाल्टी	More than 8 liter	थान	700	

4	Fire Safety Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	800	
5	Aluminium ladder	अलुमिनियम ल्याडर	Not less than 12 ft.	थान	15000	

जिल्ला प्रशासन कार्यालय कैलाली

विरुवाहरुको जिल्ला दररेट आ.व. ०८०-८१

क्र.सं	विरुवाको प्रजाती	एकाई	प्रति एकाई दर रु.	कैफियत
1	अमला	गोटा	15	
2	पारिजात ३ फिट माथी	गोटा	325	
3	गोल्डमोहर	गोटा	200	
4	बाँस कलमी २ बर्षे	गोटा	500	
5	श्रीखण्ड १ फिट माथी २ बर्षे	गोटा	280	
6	रक्तचन्द्र १८ ईन्च २ बर्षे	गोटा	280	
7	रुद्राक्ष २ फिट माथी २ बर्षे	गोटा	550	
8	समी ४ फिट माथी	गोटा	600	
9	कपुर ३ फिट माथी	गोटा	300	
10	राजवृक्ष ३ फिट माथी	गोटा	300	
11	अगर उड	गोटा	250	
12	गुर्जो	गोटा	80	
13	अम्रपाली २ बर्षे विरुवा	गोटा	130	
14	आँप निलम बहुवर्षिय	गोटा	130	
15	आँप मलिका बहुवर्षिय	गोटा	130	
16	आँप अन्य जात	गोटा	100	
17	लिची सबैजात	गोटा	105	
18	कागती सबैजात	गोटा	60	
19	सुन्तला सबैजात	गोटा	60	
20	भेटिभर स्लिप	गोटा	९	

(उल्लेखित नगर दररेटमा मूल्य अभिवृद्धि कर (VAT) समावेश गरिएको छैन)